642-742^{Q&As}

642-742 Q&As

Implementing Cisco Unified Wireless Voice Networks (IUWVN) v2.0

Pass Cisco 642-742 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4lead.com/642-742.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

QUESTION 1

A network engineer wants the DSCP marking to align with the 802.11e access category video. What will this marking be?

A. 4

B. 34

C. 5

D. AF31

Correct Answer: B

QUESTION 2

A customer has deployed an N+N redundant wireless infrastructure. In this deployment, the access points have been salt and peppered between controllers. What configuration would be necessary to cut down on the use of mobility tunnels for voice clients?

A. re-anchor roamed voice clients

B. KTS based CAC

C. mobility anchor

D. media session snooping

Correct Answer: A

QUESTION 3

A Cisco WLC v7.0 is properly configured for 802.11n and multicasting video without the optional Cisco VideoStream. Which three options best describe the frames that are sent from the AP to the wireless clients? (Choose three.)

A. unicast to subscribed clients

B. multicast to subscribed clients

C. After startup, throughput is consistent.

D. After startup, throughput can vary over time.

E. retransmission upon failure of delivery

F. no retransmission

Correct Answer: BDF

QUESTION 4

IGMP snooping has been enabled on a Cisco WLC v7.0, along with any other configurations that are required for wireless multicast. Which statement describes an IGMP leave message to a router when IGMP snooping is enabled?

A. The message is sourced from the wireless client.

B. The message is sourced from the Cisco WLC management interface.

C. The message is sourced from the Cisco WLC virtual interface.

D. The message is sourced from the Cisco WLC dynamic interface.

E. No message is sent, and the membership is timed out.

Correct Answer: E

QUESTION 5

What is the main difference between the Cisco Unified Wireless IP Phones 7921G and 7925G?

A. The 7925G supports 802.11a/b/g, whereas the 7921G supports only 802.11b/g.

B. The 7925G is suited for a more rugged environment.

C. The 7925G has support for 802.11n, whereas the 7921G does not.

D. 7925G supports WPA2, whereas the 7921G supports only WPA1.

Correct Answer: B

642-742 VCE Dumps   642-742 Practice Test   642-742 Braindumps