642-742^{Q&As}

Implementing Cisco Unified Wireless Voice Networks (IUWVN) v2.0

Pass Cisco 642-742 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4lead.com/642-742.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

What are the benefits from enabling TSM for a VoWLAN using a WLC v7.0?

A. provides packet loss and latency covering the end-to-end voice path on all links

B. provides packet loss and latency covering the end-to-end voice path on all links and additional parameters on the VoWLAN segment

C. provides packet loss covering the end-to-end voice path on all links and additional parameters on VoWLAN segment

D. provides packet loss, latency, and additional parameters on VoWLAN call segment

Correct Answer: D

QUESTION 2

Which two statements describe a dual-mode phone, such as the Apple iPhone 4S with iOS 5.0, in relation to Cisco VoWLAN? (Choose two.)

A. It contains dual 2.4-GHz and 5-GHz radio.

B. It contains dual cellular and 2.4-GHz radio.

C. It contains dual cellular and 5-GHz radio.

D. The default software enables voice on VoWLAN.

E. It requires additional software to enable VoWLAN.

Correct Answer: BE

QUESTION 3

Users are experiencing poor audio quality when calling from their 7925 series VoIP Phones. Call quality is exceptional from wired to wired phones, but not from wired to wireless phones. The wired network has QoS deployed properly and the SSID is configured with Platinum QoS. What should be verified to troubleshoot the issue?

A. The controller is marking the 802.1p tag of 3, the AP switchport has been configured to trust DSCP, and the controller\\'s switchport to trust CoS.

B. The controller is marking the 802.1p tag of 4, the AP switchport has been configured to trust CoS, and the controller\\'s switchport to trust DSCP.

C. The controller is marking the 802.1p tag of 5, the AP switchport has been configured to trust DSCP, and the controller\\'s switchport to trust CoS.

D. The controller is marking the 802.1p tag of 6, the AP switchport has been configured to trust CoS, and the controller\\'s switchport to trust DSCP.

Correct Answer: C

QUESTION 4

Which two Cisco components are required to extend an existing VoWLAN to dual-mode wireless phones? (Choose two.)

A. An LDAP server for the WLAN

B. Cisco Unified Mobile Communicator

C. Cisco Unified Mobility Advantage client

D. Cisco Unified Mobility Advantage

E. Cisco Unified Communications Manager

F. A RADIUS server for the WLAN

Correct Answer: BD

QUESTION 5

Using proper VoWLAN design practice, what would be a reasonable total number of calls for a properly designed 802.11a cell to ensure call quality?

A. 4

B. 7

C. 14

D. 20

E. 25

F. 27

Correct Answer: D

642-742 PDF Dumps   642-742 Practice Test   642-742 Braindumps

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: