

642-747^{Q&As}

Implementing Cisco Unified Wireless Mobility Services

Pass Cisco 642-747 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4lead.com/642-747.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass4lead.com/642-747.html 2022 Latest pass4lead 642-747 PDF and VCE dumps Download

QUESTION 1

A MAP currently has an AWPP parent route value of 100. What is the minimum value that is required for the MAP to change the preferred parent?

- A. 75
- B. 90
- C. 110
- D. 125

Correct Answer: D

QUESTION 2

What is the list of Cisco 3300 Series MSE v7.0 network location service elements that can be individually enabled or disabled for device tracking and quantity limitation?

- A. Clients and Tags only
- B. Clients, Rogue APs, Interferers, and Tags only
- C. Clients, Rogue APs, Rogue Clients, Interferers, and Tags only
- D. Wired Clients, Wireless Clients, Rogue APs, Rogue Clients, Interferers, and Tags only
- E. Wired Clients, Wireless Clients, Rogue APs, Rogue Clients, Interferers, Active Tags, and Choke Point Tags

Correct Answer: D

QUESTION 3

A Cisco WLC v7.0 is not seeing an AP join. Which starting prefix debug command can help determine a combination of discovery/join and DHCP process status?

- A. debug capwap events from Cisco WLC
- B. debug capwap events from the AP
- C. debug ip udp from Cisco WLC
- D. debug ip udp from the AP

Correct Answer: D

QUESTION 4



https://www.pass4lead.com/642-747.html 2022 Latest pass4lead 642-747 PDF and VCE dumps Download

An engineer notices the chokepoint MAC address of 00:0c:cc:60:00:01 on the detail page for an AeroScout tag, but there is no known chokepoint with that MAC on the network. Why is the address being reported?

- A. misconfigured chokepoint
- B. rogue chokepoint
- C. tag battery low
- D. tag battery changed

Correct Answer: D

QUESTION 5

Controllers WLC_1 and WLC_2 are in different mobility domains. A wireless client that has the same VLAN interface roams from WLC_1 to WLC_2. What happens to the client roaming?

- A. The client context is deleted in controller WLC_1, and a new client context is created in WLC_2 to become the anchor controller.
- B. The client context is moved from controller WLC_1 to controller WLC_2. The result is that the WLC_1 client context is deleted and WLC_2 becomes the anchor controller.
- C. The client context is copied from controller WLC_1 to controller WLC_2. The result is that WLC_1 becomes the anchor controller and WLC_2 becomes the foreign controller.
- D. The client context is copied from controller WLC_1 to controller WLC_2. The result is that WLC_1 becomes the foreign controller and WLC_2 becomes the anchor controller.

Correct Answer: A

Latest 642-747 Dumps

642-747 Practice Test

642-747 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4lead, All Rights Reserved.