

# 642-747<sup>Q&As</sup>

Implementing Cisco Unified Wireless Mobility Services

### Pass Cisco 642-747 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4lead.com/642-747.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



#### https://www.pass4lead.com/642-747.html 2022 Latest pass4lead 642-747 PDF and VCE dumps Download

#### **QUESTION 1**

A MAP currently has an AWPP	parent route value	e of 100. What	is the minimum	value that is re	equired for the	MAP to
change the preferred parent?						

- A. 75
- B. 90
- C. 110
- D. 125

Correct Answer: D

#### **QUESTION 2**

When connected in MAP mode, what is the reason for an AP to scan on its connectivity radio every 5 seconds?

- A. monitor air conditions
- B. discover rogues
- C. catalogue parent successors
- D. discover nearby co-channel for RRM action

Correct Answer: C

#### **QUESTION 3**

Which statement describes normal Cisco 3300 Series MSE v7.0 maintenance?

- A. Using the Cisco WCS interface, stop Cisco MSE, run the defragment database, and start Cisco MSE.
- B. Using the Cisco WCS interface, run the defragment database.
- C. Using the Cisco MSE CLI, stop Cisco MSE, run the defragment database, and start Cisco MSE.
- D. Using the Cisco MSE CLI, run the defragment database.

Correct Answer: B

#### **QUESTION 4**

Access points not assigned to an MSE are receiving out of sync alerts. Where can this feature be disabled?

A. Mobility Service Background Tasks



### https://www.pass4lead.com/642-747.html

2022 Latest pass4lead 642-747 PDF and VCE dumps Download

- B. Mobility Service Event Groups
- C. Mobility Service Network Designs
- D. Mobility Service Maintenance

Correct Answer: A

#### **QUESTION 5**

Which two statements correctly describe integrating AeroScout TDoA receivers (sensors) into a Cisco Unified Wireless Network based on v7.0? (Choose two.)

- A. Cisco WCS configures the TDoA receivers through CLI templates.
- B. AeroScout software is required to configure TDoA receivers.
- C. Cisco WCS can add TDoA receivers to equipment lists but not in floor maps.
- D. Cisco WCS can add TDoA receivers to floor maps but without heat maps.
- E. Cisco WCS can add TDoA receivers to floor maps with nondynamic heat maps.
- F. Cisco WCS can add TDoA receivers to floor maps with dynamic heat maps.

Correct Answer: BD

642-747 Study Guide

642-747 Exam Questions

642-747 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

## Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

**Instant Download After Purchase** 

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

### **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4lead, All Rights Reserved.