

642-998^{Q&As}

Designing Cisco Data Center Unified Computing

Pass Cisco 642-998 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4lead.com/642-998.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





https://www.pass4lead.com/642-998.html

2022 Latest pass4lead 642-998 PDF and VCE dumps Download

QUESTION 1

You have a vPC domain that contains a Cisco Nexus 5000 Series pair. You plan to implement HSRP. Which feature must you enable to ensure that forwarding paths are load balanced between two active gateways?

- A. auto-recovery
- B. role-priority
- C. peer-switch
- D. peer-gateway

Correct Answer: D

QUESTION 2

Which option is a major advantage of using FabricPath in a data center?

- A. It allows FCoE to run over the fabric.
- B. Servers can be dual-attached to the network in an active/active fashion.
- C. It provides optimized Layer 2 boundaries between segments.
- D. It supports equal-cost multipath forwarding.

Correct Answer: D

QUESTION 3

Which three characteristics are associated with the aggregation layer of a Cisco Data Center Unified Fabric network? (Choose three.)

- A. no packet manipulation
- B. QoS ?policing
- C. voice, data, and wireless convergence
- D. scalable routing protocols
- E. provides default gateway redundancy
- F. QoS ?classification and queuing
- G. routing manipulation and filtering
- H. aggregates end users

Correct Answer: BEG



QUESTION 4


Which two statements about OTV are true? (Choose two.)

- A. OTV join interfaces must be physical interfaces.
- B. OTV supports authentication of hello messages and control plane PDUs.
- C. Multicast support in the transport network is a strict requirement to establish OTV adjacencies.
- D. All OTV overlay interfaces must use the same join interface.
- E. OTV forwards and processes spanning-tree BPDUs between sites to ensure a loop-free topology.
- F. OTV propagates MAC address reachability information via the underlying IS-IS control-plane.

Correct Answer: BF

QUESTION 5

Select and Place:




Correct Answer:



https://www.pass4lead.com/642-998.html

2022 Latest pass4lead 642-998 PDF and VCE dumps Download



642-998 VCE Dumps

642-998 Study Guide

642-998 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4lead, All Rights Reserved.