70-341^{Q&As}

Core Solutions of Microsoft Exchange Server

Pass Microsoft 70-341 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4lead.com/70-341.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

You have an Exchange Server 2013 organization that contains five servers.

Your company has a finance department, a marketing department, and a research department.

Users in the marketing department are prevented from creating more than two Exchange ActiveSync device associations.

You have a user named User5 in the finance department.

You need to prevent User5 from creating more than two Exchange ActiveSync device associations.

Which cmdlet should you use?

A. Set-ThrottlingPolicyAssociation

B. Set-ResourcePolicy

C. Set-ActiveSyncMailboxPolicy

D. Set-CASMailbox

Correct Answer: A

QUESTION 2

Your company has a main office and three branch offices.

You have an Exchange Server 2013 organization. The main office contains five Exchange servers. Each branch office contains two Exchange servers. All of the servers have all of the Exchange server roles installed. Each branch office

contains one database availability group (DAG).

You need to recommend a load balancing solution for the branch offices. The solution must ensure that both servers in each office are the targets of all client connections.

What are two possible recommendations? Each correct answer presents a complete solution.

A. DNS round robin

B. Layer 4 hardware load balancers

C. CAS arrays

D. Network Load Balancing (NLB) clusters

Correct Answer: BC

QUESTION 3

You have an Exchange Server 2013 organization.

Your company has a Service Level Agreement (SLA) stating that you must be able to reconnect disconnected mailboxes to user accounts for up to 365 days. After 365 days, disconnected mailboxes must be deleted permanently. You need to

recommend a solution to meet the SLA.

What should you include in the recommendation?

A. Create a retention policy and apply the policy to all mailboxes.

B. Configure the deleted mailbox retention setting for all databases.

C. Configure the deleted item retention setting for all databases.

D. Implement a database availability group (DAG) that contains a lagged copy.

Correct Answer: B

QUESTION 4

You need to configure the address books to meet the business goal for the finance department.

Which four cmdlets should you use?

A. Set-MailUser, New-OfflineAddressBook, New-AddressBookPolicy, and New- GlobalAddressList

B. Set-MailUser, New-OfflineAddressBook, New-GlobalAddressList, and New-AddressList

C. Set-Mailbox, New-DistributionGroup, New-AddressBookPolicy. and New-AddressList

D. Set-Mailbox, New-AddressBookPolicy, New-GlobalAddressList, and New-AddressList

Correct Answer: D

Set-Mailbox must be used to assign the Address Book Policy, therefore D is correct

http://technet.microsoft.com/en-us/library/jj657455(v=exchg.150).aspx

Step 1: Install and configure the Address Book Policy Routing agent

Step 2: Divide your virtual organizations

Step 3: Create the address lists, GALs, and OABs

When you create the address lists and global address lists do not use "IncludedRecipient" and "ConditionalX" parameters, such as ConditionalCompany and ConditionalCustomAttribute5. You should use a recipient filter instead. You must

use the Shell to create recipient filters. For more information about Recipient Filters, see Recipient Filtering

In creating the ABP, you will create multiple address lists based on how you want your users to view the address lists in Outlook or Outlook Web App. This organization has four address lists:

AL_FAB_Users_DGs

AL_FAB_Contacts

AL_TAIL_Users_DGs

AL_TAIL_Contacts

This example creates the address list AL_TAIL_Users_DGs. The address list contains all users and distribution groups where CustomAttribute15 equals TAIL.

New-AddressList -Name "AL_TAIL_Users_DGs" -RecipientFilter {(((RecipientType -eq \\'UserMailbox\\') -or

(RecipientType -eq "MailUniversalDistributionGroup") -or (RecipientType -eq

"DynamicDistributionGroup")) -and (CustomAttribute15 -eq "TAIL")}

For more information about creating address lists by using recipient filters, see Create an Address List By

Using Recipient Filters.

In order to create an ABP, you have to provide a room address list. If your organization doesn\\'t have resource mailboxes such as room or equipment mailboxes, we suggest that you create a blank room address list. The following example

creates a blank room address list because there are no room mailboxes in the organization.

New-AddressList -Name AL_BlankRoom -RecipientFilter {(Alias -ne $null) -and ((RecipientDisplayType

-eq \\'ConferenceRoomMailbox\\') -or (RecipientDisplayType -eq \\'SyncedConferenceRoomMailbox\\'))}

However, in this scenario, Fabrikam and Contoso both have room mailboxes. This example creates room list for Fabrikam by using a recipient filter where CustomAttribute15 equals FAB.

New-AddressList -Name AL_FAB_Room -RecipientFilter {(Alias -ne $null) -and (CustomAttribute15 -eq

"FAB")-and (RecipientDisplayType -eq \\'ConferenceRoomMailbox\\') -or (RecipientDisplayType -eq\\'SyncedConferenceRoomMailbox\\')}

The global address list used in an ABP must be a superset of the address lists. Do not create a GAL with fewer objects than exists in any or all of the address lists in the ABP. This example creates the global address list for Tailspin Toys that

includes all of the recipients that exists in the address lists and room address list.

New-GlobalAddressList -Name "GAL_TAIL" -RecipientFilter {(CustomAttribute15 -eq "TAIL")} For more information, see Create a Global Address List.

When you create the OAB you should include the appropriate GAL when providing the AddressLists parameter of New- or Set-OfflineAddressBook to ensure no entry is unexpectedly missed. Basically, you can customize the set of entries that

a user will see or reduce the download size of the OAB by specifying a list of AddressLists in AddressLists of New/Set-OfflineAddressBook. However, if you want users to see the full set of GAL entries in OAB, make sure that you include the

GAL in the AddressLists.

This example creates the OAB for Fabrikam named OAB_FAB.

New-OfflineAddressBook -Name "OAB_FAB" -AddressLists "GAL_FAB"

For more information, see Create an Offline Address Book.

Step 4: Create the ABPs

After you\\'ve created all of the required objects you can then create the ABP. This example creates the ABP named ABP_TAIL.

New-AddressBookPolicy -Name "ABP_TAIL" -AddressLists "AL_TAIL_Users_DGs","

AL_TAIL_Contacts" -OfflineAddressBook "\OAB_TAIL" -GlobalAddressList "\GAL_TAIL" -RoomList

"\AL_TAIL_Rooms"

For more information, see Create an Address Book Policy.

Step 5: Assign the ABPs to the mailboxes

Assigning the ABP to the user is the last step in the process. ABPs take effect when a user\\'s application connects to the Microsoft Exchange Address Book service on the Client Access server. If the user is already connected to Outlook or

Outlook Web App when the ABP is applied to their account, they will need to close and restart the client application before they can see their new address lists and GAL.

This example assigns ABP_FAB to all mailboxes where CustomAttribute15 equals "FAB".

Get-Mailbox -resultsize unlimited | where {$_.CustomAttribute15 -eq "TAIL"} | Set-Mailbox -

AddressBookPolicy "ABP_TAIL"

QUESTION 5

You have an Exchange Server 2013 organization.

You need to recommend a solution to ensure that users can access their mailbox by using IMAP4.

The solution must meet the following requirements:

The users must be able to download their email messages from multiple devices.

The users must be able to look up their SMTP server from Outlook Web App.

All IMAP4 connections must be audited.

What should you recommend? To answer drag the appropriate recommendation to the correct requirement. Each recommendation may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll

to view content.

Select and Place:

Recommendations

Run the Set-SendConnector cmdlet.

Run the Set-IMAP Settings cmdlet.

Run the Set-Receive Connector cmdlet.

Create an outlook Web App Policy.

Instruct users to modify the properties of of their email account profile

Answer Area

The users must be able to download their email messages from multiple devices.

All IMAP4 connections must be Audited.

The users must be able to look up their SMTP server from Outlook Web App.

Correct Answer:

Recommendations

Create an outlook Web App Policy.

Instruct users to modify the properties of of their email account profile

Answer Area

The users must be able to download their email messages from multiple devices.

Run the Set-SendConnector cmdlet.

All IMAP4 connections must be Audited.

Run the Set-IMAP Settings cmdlet.

The users must be able to look up their SMTP server from Outlook Web App.

Run the Set-Receive Connector cmdlet.

Latest 70-341 Dumps   70-341 Practice Test   70-341 Exam Questions

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: