VCE & PDF
Pass4Lead.com

70-480^{Q&As}

70-480^{Q&As}

Programming in HTML5 with JavaScript and CSS3

Pass Microsoft 70-480 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4lead.com/70-480.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

You develop a web application by using jQuery. You develop the following jQuery code: (Line numbers are included for reference only.)

```
01  <script>
02    $(document).ready(function () {
03      $('#submit').click(function () {
04        $.ajax({
05
06          data: $('#myForm').serialize(),
07          success: function (result) {
08            $('#result').text(result.message);
09          }
10        });
11      });
12    });
13  </script>
```

The web application exposes a RESTful web API that has an endpoint of/product/create.

You need to create a new product by using AJAX.

Which code segment should you insert at line 05?

```
 A.  type: "POST",
     dataType: "xml",
     contentType: "application/x-www-form-urlencoded; charset=UTF-8",
     url: "/product/create",


 B.  type: "GET",
     dataType: "xml",
     contentType: "application/x-www-form-urlencoded; charset=UTF-8",
     url: "/product/create",


 C.  type: "POST",
     dataType: "json",
     contentType: "application/json",
     url: "/product/create/post",


 D.  type: "POST",
     dataType: "json",
     url: "/product/create",
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: D

*

url: /product/create

This is the endproduct.

*

datatype:

The type of data that you\'re expecting back from the server.

*

contentType (default: \'application/x-www-form-urlencoded; charset=UTF-8\') Reference:
http://api.jquery.com/jQuery.ajax/

QUESTION 2

You are developing an HTML5 web application that displays customer mailing address information.

The application loads addresses from a web service by using AJAX. The following code defines a Customer object and loads address data.

```
function Customer(firstName, lastName) {
    this.firstName = firstName;
    this.lastName = lastName;
    this.address = "";
}

Customer.prototype.parseAddress = function (data) {
    this.address = data.address;
}

Customer.prototype.loadAddress = function () {

}
```

You need to implement the loadAddress function. Which code segment should you use?

```
C A.   $.get('data.xml', function (data) {
         (function (scope) {
           scope.parseAddress(data);
         })(data);
       });
```

```
C B.   $.get('data.xml', function (data, innerScope) {
         innerScope.parseAddress(data);
       });
```

```
C C.   var that = this;
       $.get('data.xml', function (data) {
         that.parseAddress(data);
       });
```

```
C D.   $.get('data.xml', function (data) {
         this.parseAddress(data);
       });
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: C

QUESTION 3

You develop an HTML5 web application. The web application contains a form that allows users to enter only their month of birth.

The value that the users enter must be numbers between 1 and 12, inclusive.

You need to implement the form element for the month of birth.

Which element should you use?

A.

B.

C.

D.

E.

Correct Answer: C

Example:

QUESTION 4

You display a long text content in a div.

You need to prevent the vertical scrollbar of the browser from being displayed.

Which CSS element should you use?

A. @page

B. @keyframes

C. overflow-x

D. overflow-y

Correct Answer: D

References: https://www.w3schools.com/cssref/css3_pr_overflow-y.asp

QUESTION 5

You are developing an online shopping application that accepts credit cards for payment.

If the credit card number is invalid, the application must:

Generate an error

Assign "200" to the error number

Assign "Invalid" to the error description

You need to write the code that meets the requirements.

How should you write the code? (To answer, drag the appropriate code segment or segments to the correct location in the answer area. Each code segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

Select and Place:

throw
"Invalid"
200
Error
break

[ ] new [ ] ([ ] , [ ]);

Correct Answer:

break

throw new Error (200 , "Invalid");

Example: throw new Error(200, "x equals zero"); References: http://www.javascriptkit.com/javatutors/trycatch2.shtml

70-480 VCE Dumps   70-480 Exam Questions   70-480 Braindumps

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: