



70-480^{Q&As}

Programming in HTML5 with JavaScript and CSS3

Pass Microsoft 70-480 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4lead.com/70-480.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You troubleshoot a webpage that contains the following HTML element:

```
height= "300">Your browser does not support the HTML5 canvas.
```

The following JavaScript code is included in a script tag in the HEAD section of the webpage: (Line numbers are included for reference only.)

```
01 var canvas;
02 var context;
03 window.onload = function initialize() {
04     canvas = document.getElementById('clickCanvas');
05     context = canvas.getContext('2d');
06     drawBox();
07
08 }
09 function clickReporter(e) {
10     alert('clicked');
11 }
12 function drawBox() {
13     context.fillStyle = 'black';
14     context.strokeRect(20, 20, canvas.width - 20, canvas.height - 20);
15 }
```

You need to invoke the clickReporter() JavaScript function when a user clicks the mouse on the canvas HTML element. What should you do?

- A. Add the following attribute to the canvas HTML element: clicked= "clickReporter()"
- B. Replace the code segment at line 06 with the following code segment: drawBox.Click += clickReporter;
- C. Insert the following code segment at line 07: canvas.onclick = clickReporter;
- D. Insert the following code segment at line 07: canvas, click = clickReporter;

Correct Answer: A

QUESTION 2

DRAG DROP

You are developing a web page for runners who register for a race.

The page includes a slider control that allows users to enter their age.

You have the following requirements:

All runners must enter their age.

Applications must not be accepted from runners less than 18 years of age or greater than 90 years.



The slider control must be set to the average age (37) of all registered runners when the page is first displayed.

You need to ensure that the slider control meets the requirements.

What should you do? (To answer, drag the appropriate word or number to the correct location in the answer area. Each word or number may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)

Select and Place:

- range
- slider
- 0
- 18
- 90
- 5
- 37
- avgAge ()
- default
- value
- required
- optional

Answer Area

```
<input type=""  
min=""  
max=""  
step=""  
value=""  
  
/>
```

Correct Answer:



Answer Area

slider
0
avgAge ()
default
value
optional

```

<input
type=" range "
min=" 18 "
max=" 90 "
step=" 5 "
value=" 37 "
required
/>

```

Box 1-3: The is used for input fields that should contain a value within a range.

Example

Box 4:

The step attribute specifies the legal number intervals for an element.

Example: if step="3", legal numbers could be -3, 0, 3, 6, etc.

Syntax

number

Specifies the legal number intervals for the input field. Default is 1
 Box 5: Use the value attribute to set the default value. Here: 37
 Box 6: Definition and Usage The required attribute is a boolean attribute. When present, it specifies that an input field must be filled out before submitting the form. Example Username: Reference: HTML Input Types
http://www.w3schools.com/html/html_form_input_types.asp



QUESTION 3

You are creating a function by using JavaScript. The function accepts an object as the parameter and returns a string that identifies the data type of the object. You have the following requirements:

The function must return "Number" if the object is a number

The function must return "String" if the object is a string

The function must return "Unknown" if the object is neither a number nor a string You need to implement the function to meet the requirements. How should you build the code segment? (To answer, drag the appropriate word to the correct location in the code segment. Each word may be used once, more than once, or not

at all. You may need to drag the split bar between panes or scroll to view content.)

Select and Place:

default

switch

break

case

```
function GetObjectType(obj) {  
  [ ] (obj.constructor) {  
    [ ] Number:  
      return "Number";  
    [ ] ;  
    [ ] String:  
      return "String";  
    [ ] ;  
    [ ] :  
      return "Unknown";  
  }  
}
```

Correct Answer:



```
function GetObjectType(obj) {  
    switch (obj.constructor) {  
        case Number:  
            return "Number";  
        break ;  
        case String:  
            return "String";  
        break ;  
        default :  
            return "Unknown";  
    }  
}
```

* Use the switch statement to select one of many blocks of code to be executed.

Syntax

```
switch(expression) {
```

```
case n:
```

```
code block
```

```
break;
```

```
case n:
```

```
code block
```

```
break;
```

```
default:
```

```
default code block
```

```
}
```

This is how it works:

The switch expression is evaluated once.

The value of the expression is compared with the values of each case.



If there is a match, the associated block of code is executed.

* Object.prototype.constructor

Returns a reference to the Object function that created the instance's prototype. Note that the value of this property is a reference to the function itself, not a string containing the function's name. The value is only read-only for primitive values

such as 1, true and "test".

* Description

All objects inherit a constructor property from their prototype:

```
var o = {};
```

```
o.constructor === Object; // true
```

```
var a = [];
```

```
a.constructor === Array; // true
```

```
var n = new Number(3);
```

```
n.constructor === Number; // true
```

* The constructor property is created together with the function as a single property of func.prototype.

References:

https://www.w3schools.com/js/js_switch.asp

https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Object/constructor

QUESTION 4

You are developing a web page that consumes a Windows Communication Foundation (WCF) service. The page includes the following code segment.

```
var xhr = new XMLHttpRequest();
```

The page uses the xhrHandler() method to listen for changes to the request status of the WCF service calls. It uses the xmlToJavaScript() method to convert the response from the WCF service to a JavaScript object.

The xhrHandler() method must be called automatically each time the request status changes.

You need to add the event handler to the request object.

Which line of code should you use?

A. `xhr.onCallback = xhrHandler;`

B. `xhr.onreadystatechange = xhrHandler;`

C. `xhr.readyState = xhrHandler;`



D. xhr.status = xhrHandler;

Correct Answer: B

/ onreadystatechange: Sets or retrieves the event handler for asynchronous requests.

Specifies a reference to an event handler for an event that fires at every state change

readyState

Returns the state of the object as follows:

- *
0 = uninitialized ?open() has not yet been called.
- *
1 = open ?send() has not yet been called.
- *
2 = sent ?send() has been called, headers and status are available.
- *
3 = receiving ?Downloading, responseText holds partial data (although this functionality is not available in IE [3])
- *
4 = loaded ?Done.

/ Example (assuming that there is a function handler()):

```
var oReq = getXMLHttpRequest();  
if (oReq != null) {  
oReq.open("GET", "http://localhost/test.xml", true);  
oReq.onreadystatechange = handler;  
oReq.send();  
}
```

Reference: XMLHttpRequest object; XMLHttpRequest (XHR)

[https://msdn.microsoft.com/en-us/library/ie/ms535874\(v=vs.85\).aspx](https://msdn.microsoft.com/en-us/library/ie/ms535874(v=vs.85).aspx)

<http://mrfwebdesign.blogspot.ca/2008/11/xmlhttprequest-xhr.html>

QUESTION 5

You have the following markup.



```
<div style="display:flex;height:300px;background-color:red">
  <div style="height:100px;background-color:yellow">
    Yellow div text
  </div>
</div>
```

You need to ensure that the yellow div is centered in the red div.

What should you do?

- A. Add the following code to the yellow div.`align-content:center`
- B. Add the following code to the red div.`align-content:center`
- C. Add the following code to the red div.`margin:auto`
- D. Add the following code to the yellow div.`margin:auto`

Correct Answer: B

[70-480 VCE Dumps](#)

[70-480 Practice Test](#)

[70-480 Exam Questions](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)


We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4lead.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4lead, All Rights Reserved.