

7004.1^{Q&As}

Avaya Communication Server 1000 for Avaya Aura® Maintenance Exam

Pass Avaya 7004.1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/7004-1.html>

100% Passing Guarantee
100% Money Back Assurance


Following Questions and Answers are all new published by Avaya Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Click the Exhibit button. %




You are asked to review the existing trunk information for your customer. According to the Element Manager screen capture shown in the exhibit, which type of trunk is this?

- A. Direct Inward Dial
- B. Virtual Trunk
- C. Recorder Announcement
- D. Central Office Trunk

Correct Answer: B

QUESTION 2

Click the Exhibit button.



You are asked to review the existing route information for the customer. According to the printout shown in the exhibit, which type of route is this?

- A. a directinward dialroute
- B. amedia services route
- C. an integrated services digital network route
- D. an incoming only route

Correct Answer: A

QUESTION 3

Your customer has a Communication Server 1000 RIs. 7 x system equipped with System Errors and Events Lookup pack 245 that provides the ability to display system messages on screen. When a system message is received, which procedure should you use to look it up and display it on the screen?

- A. Enter the system error number followed by For example, bug4080
- B. Enter bug followed by the system error code and .For example, bugerr4080
- C. Enter errcde followed by the system error code and .For example, errcde bug4080
- D. Enter err followed by the system error code followed by .For example, err bug4080

Correct Answer: A

QUESTION 4

Which Overlay (LD) is used to find an unused card slot (LUC) for a new Digital Line Card that will support five digital telephones?

- A. LD 22
- B. LD 20
- C. LD 21
- D. LD 81

Correct Answer: B

QUESTION 5

Click the Exhibit button.

RLI 2	NCOS 0	NCOS 1	NCOS 2	NCOS 3
ENTR 0				
ROUT 3	FRL 0	FRL 1	FRL 2	FRL 3
TOD 0 OFF 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON				
CNV NO	NCOS 4	NCOS 5	NCOS 6	NCOS 7
EXP NO				
FRL 5	FRL 4	FRL 5	FRL 0	FRL 0
DMI 2				
FCI 2				
ENTR 1				
ROUTE 1				
TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON				
CNV NO				
EXP NO				
FRL 2				
DMI 0				
FCI 0				
ENTR 2				
ROUT 0				
TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON				
CNV NO				
EXP YES				
FRL 4				
DMI 0				
FCI 0				
ENTR 3				
ROUT 0				
TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON				
CNV NO				
EXP YES				
FRL 5				
DMI 0				
FCI 0				

A customer requires that two of its employees be able to place toll calls to Australia, while all other employees are restricted to local dialing only. The customer's Communication Server 1000 is programmed with all required NCOS, FRL and Route List Index (RLI). What is the most restrictive NCOS to assign to the two employees required to make toll call Australia given the tables, assuming that the call must complete over RLI 2 and the user must be able to use any RLI 2 entry to reach Australia?

- A. NCOS 1
- B. NCOS 2
- C. NCOS 3
- D. NCOS 4
- E. NCOS 5

Correct Answer: E

[Latest 7004.1 Dumps](#)

[7004.1 PDF Dumps](#)

[7004.1 Study Guide](#)