

7004.1^{Q&As}

Avaya Communication Server 1000 for Avaya Aura® Maintenance Exam

Pass Avaya 7004.1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/7004-1.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1


A customer site has a Communication Server 1000 system located at us main campus and wants to network me system for direct calls with a system in a different city. Which type of steering code is required to route calls over specify trunk routes between the two sites?

- A. Distant SteeringCode (DSC)
- B. Remote Steering Code (RSC)
- C. Network Plan Area (NPA)
- D. Special Number (SPN)

Correct Answer: A

QUESTION 2

Click the Exhibit button.



Given a company's dialing plan shown in the exhibit, if a station user at the company in New York City dials 8-890-4233, what will happen to the call?

- A. The Access Code of 8 will be removed and the call will complete over Route List Index# 1.
- B. The call will receive intercept treatment as indicated in the Customer Data Block (CDB) and fail to complete.
- C. The NARS software will remove the Access Code and Location Code and terminate the call internally at Directory Number 4233
- D. The Access Code of 8 will be removed and the call will complete over Route List Index #0.

Correct Answer: D

QUESTION 3

Click the Exhibit button.

RLI 2
ENTR 0
ROUT 3
TOD 0 OFF 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON
CNV NO
EXP NO
FRL 1
DMI 2
FCI 2
ENTR 1
ROUTE 1
TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON
CNV NO
EXP NO
FRL 3
DMI 0
FCI 0
ENTR 2
ROUT 0
TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON
CNV NO
EXP YES
FRL 3
DMI 0
FCI 0
ENTR 3
ROUT 0
TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON
CNV NO
EXP YES
FRL 5
DMI 0
FCI 0

Given the customer Route List index shown in the exhibit, what is the first expensive route that a call placed on that RLI could take?


- A. Entry 0
- B. Entry 1
- C. Entry 2

D. Entry 3

Correct Answer: C

QUESTION 4

Click the Exhibit button.



You manage a Communication Server 1000 RIs. 7 x system at a customer site. The customer reports that extension 2000 cannot make an unassisted long distance calls. With reference to the exhibit, which feature is restricting the user?

- A. CCBA
- B. CCSA
- C. CLRO
- D. CLS

Correct Answer: D

QUESTION 5

Click the Exhibit button.

TABLE A	TABLE B	TABLE C	TABLE D
SPN 61	SPN 61	SPN 61	SPN 61
RLI 2	RLI 3	RLI 4	RLI 5
RLI 2	RLI 3	RLI 4	RLI 5
ENTR 0	ENTR 0	ENTR 0	ENTR 0
ROUT 3	ROUT 3	ROUT 4	ROUT 3
TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON	TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON	TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON	TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON
CNV NO	CNV NO	CNV NO	CNV NO
EXP NO	EXP NO	EXP NO	EXP NO
FRL 5	FRL 2	FRL 5	FRL 5
ENTR 1	ENTR 1		ENTR 1
ROUTE 1	ROUTE 1		ROUTE 1
TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON	TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON		TOD 0 ON 1 ON 2 ON 3 ON 4 ON 5 ON 6 ON 7 ON
CNV NO	CNV NO		CNV NO
EXP NO	EXP NO		EXP NO
FRL 6	FRL 6		FRL 4

A customer's dialing requirement, listed below, require that all station users assigned an NCOS of 3 and Class of Service of Conditionally Toll Denied (CTD) be able to place toll calls from the United States to Australia.

Australia Country Code: 61 NCOS of 3 has an FRL of 3 Expensive Routers are not being used

With reference to the exhibit, which table will allow all station users to be able to place these toll calls?

- A. Provisioning Table A
- B. Provisioning Table B
- C. Provisioning Table C
- D. Provisioning Table D

Correct Answer: B