

701-100^{Q&As}

DevOps Tools Engineer Exam

Pass Lpi 701-100 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/701-100.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which property of a Kubernetes Deployment specifies the number of instances to create for a specific Pod? (Specify ONLY the option name, no matter of its location in the object hierarchy)

A. The property you are looking for is replicas. This is a field directly under the Deployment object and specifies the number of Pod replicas that should be maintained by the Deployment.

Correct Answer: A

QUESTION 2

Which of the following statements describes the principal concept behind test driven development?

- A. Tests may not be written by the same development team that wrote the tested code.
- B. All tests are generated automatically from the tested source code.
- C. Tests are written before the function / method is implemented.
- D. The only acceptable reason to write a test is to prevent fixed bugs from occurring again.
- E. Instead of testing software automatically, manual tests are performed and logged daily.

Correct Answer: C

https://en.wikipedia.org/wiki/Test-driven_development

QUESTION 3

When can an SQL injection attack happen?

- A. When strings of arbitrary length are passed to a database so they can exceed the length of data type or data field.
- B. When characters or string received from an external source are passed unchanged to a database so they can include SQL.
- C. When SQL statements are stored as database content and might be returned unchanged to a client querying the database.
- D. When database queries of an application are redirected to another server which then receives confidential information and might return manipulated data.
- E. When an API which causes writes to the database can be triggered remotely without rate limits or other restrictions.

Correct Answer: B

QUESTION 4

After setting up a data container using the following command:

```
docker create -v /data --name datastore debian /bin/true
```

How is an additional new container started which shares the /data volume with the datastore container?

- A. docker run --volumes-from datastore --name service debian bash
- B. doker run --share-with datastore --name service debian bash
- C. docker run -v /data --name service debian bash
- D. docker run -v datastore:/data -name service debian bash
- E. docker run --volumen-backend datastore -v /data --name service debian bash

Correct Answer: A

QUESTION 5

Which docker-machine sub command outputs a list of commands that set environment variables which are required to make docker work with a Docker host managed by docker-machine? (Specify only the sub command without any path or parameters.)

- A. env

Correct Answer: A

[701-100 PDF Dumps](#)

[701-100 Practice Test](#)

[701-100 Braindumps](#)