

701-100^{Q&As}

DevOps Tools Engineer Exam

Pass Lpi 701-100 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/701-100.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What must be the first line of a plain text user-data configuration containing YAML configuration for cloud-init?

- A. cloud-config:
- B. --- cloud-config
- C. #!/usr/bin/cloud-init
- D. [cloud-config]
- E. #cloud-config

Correct Answer: E

<https://cloudinit.readthedocs.io/en/latest/topics/examples.html>

QUESTION 2

Which of the following scenarios describes SSL offloading?

- A. Requests which arrive in plain text via HHTP are redirected to HTTPS URLs to enforce encryption.
- B. To use HTTPS for multiple hosts in the same domain, a wildcard certificate is use don all nodes hosting the services.
- C. Requests which arrive encrypted via HTTPS are answered with redirects to HTTP URLs to improve performance.
- D. Incoming HTTPS connections are received by a load balancer which handles the encryption and passes decrypted requests on backend servers.
- E. The main content of a website is delivered using HTTPS, assets such as images or scripts are delivered using HTTP.

Correct Answer: D

QUESTION 3

Which of the following goals are favored by agile software development methodologies? (Choose two correct answers.)

- A. Self-organization of teams.
- B. Central governance and control.
- C. Flexibility of processes.
- D. Absolute planning adherence.
- E. Long-term release and feature management.

Correct Answer: AC

QUESTION 4

A Dockerfile contains the statements:

```
COPY data/ /data/ VOLUME /data
```

What happens when the resulting container is started without any additional volume configuration? (Choose two correct answers.)

- A. Files existing in /data/ in the image are not available in the running container.
- B. Changes to files within /data/ affect the Docker image and all other containers derived from it.
- C. Existing files from /data/ in the image are copied to the new volume.
- D. An error is raised because /data/ already contains data when the volume is mounted.
- E. A new volume is created and mounted to /data/ within the new container.

Correct Answer: CE

QUESTION 5

When creating a new Docker network, which mechanisms are available for address assignments to containers on the new network? (Choose TWO correct answers.)

- A. By default, Docker chooses an unused private address space and assigns addresses from this network to containers.
- B. All networked containers must contain at least one IPADDRESS statement in their Dockerfile specifying the container's address.
- C. Docker does not configure IP addresses and relies on the containers to configure their network interface with a valid IP address.
- D. By default, Docker requests one address per container using DHCP on the interface used by the host system's default route.
- E. Docker network create allows specifying a network to be used for container addressing using --subnet.

Correct Answer: AD