

7303^{Q&As}

Avaya CallPilot Implementation Exam

Pass Avaya 7303 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/7303.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

With Maintenance Diagnostics enabled, which hardware problem does it automatically help identify when system and services are starting? (Choose three.)

- A. DSP
- B. TimeSwitch
- C. SCSI Terminator
- D. TelephonyBoard
- E. Multimedia Channels

Correct Answer: ADE

QUESTION 2

A company is running Communication Server 1000E RIs. 6.0 software with a 1005r Avaya CallPilot installed at that headquarters in London. The Avaya CallPilot installation has been completed and the CS1000E has been correctly configured.

Which command and overlay is used to confirm that the AML link between the Avaya CallPilot and the CS1000E is fully operational?

- A. LD 11- STATLoop Shelf Card of the MGATECard
- B. LD48 - STATELAN
- C. LD 117 - STAT ELNK
- D. ID 22-STAT AML

Correct Answer: B

QUESTION 3

A technician has completed the configuration and programming for an implementation of a new Avaya CallPilot system. When the Avaya CallPilot is rebooted, over which local Area Network (LAN) connection does the Communication Server 1000 communicate with the Avaya CallPilot voicemail system?

- A. DSO
- B. CLAN
- C. ELAN
- D. SLAN
- E. TLAN

Correct Answer: C

QUESTION 4

A technician has a SCSI tape device that was used with a 201i Avaya CallPilot server, and wants to use this tape device for tape backup with a 202i Avaya Call Pilot server. Which action is necessary to full connect the SCSI tape driver to the 202i?

- A. Attach theSCSI cable of the tape device to the SCSI attachment point on the face of theface of the 202ithenattach power to the tape device.
- B. Attach theUSBCable of the tape device to theUSB port on the facethe202i and thenattach power to the tape device.
- C. Attach theUSBto SCSI adaptor to connectthe tape device to the202i in the order to provide signaling andpower to the tape device.
- D. Attach theUSBto SCSI adaptor to connectthe tape device to theAvaya CallPilot server and then attachpower to the tape device.

Correct Answer: D

QUESTION 5

A technician is preparing to install Avaya CallPilot RIs. 5.0 for a customer. They want to access the Avaya CallPilot system from the LAN and must provide some information for the installation. What information must the customer provide?

- A. DHCP server
- B. a Cat-5cable
- C. an Ethernet switch
- D. astatic IP address and subnetmask

Correct Answer: D

[Latest 7303 Dumps](#)

[7303 Practice Test](#)

[7303 Study Guide](#)