

76940X^{Q&As}

Avaya Converged Platform Support

Pass Avaya 76940X Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/76940x.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

As part of a routine weekly maintenance test for the ACP 4200, a support engineer has been instructed to verify that the vMotion VMKernels for all ESXi hosts are reachable from each other using pings. During the latest maintenance test, the engineer notices that some of the pings are failing.

Which potential impact would this have on the ACP 4200?

- A. There will be no impact on the ESXi hosts, but the VSPs may reboot periodically.
- B. vMotion may not work as expected.
- C. The ESXi hosts may not be reachable from vCenter Server appliance.
- D. The ESXi hosts may reboot periodically.

Correct Answer: C

QUESTION 2

What is the primary purpose or function of Enterprise Device Manager (EDM)?

- A. EDM provides an interface for administrator to monitor the health of the Nimble Storage array in a single pane and allows them to make changes to storage, protection, access, and performance configuration.
- B. EDM provides access to HP Proliant Servers' out-of-band management facilities. It allows for control and monitoring of HP servers.
- C. EDM is the device management software application for Extreme Network's VSP platforms.
- D. EDM provides a robust web interface which allows for monitoring of the ServerTech PDU and control of its individual power outlet.

Correct Answer: C

QUESTION 3

A PodFX system is being upgraded to ACP 4.0 and Avaya Orchestrator needs to have an IP address assigned.

What would Avaya recommend for Orchestrator's IP address?

- A. Assign an unused IP address in the Management VLAN range for the Orchestrator.
- B. Re-use the PVM IP address for Orchestrator.
- C. Re-use the VPFM IP addresses for Orchestrator.
- D. There is no recommendation on which IP address to use for Orchestrator.

Correct Answer: A

QUESTION 4

When performing a BIOS or firmware upgrade on physical host servers, why is it important to have vSphere access?

- A. The VMs must be restarted before the upgrade process.
- B. vSphere is needed to shut down the physical server.
- C. VMs must be shut down before the process.
- D. The server must be placed in maintenance mode before the upgrade.

Correct Answer: C

QUESTION 5

You are receiving High Availability warnings in the vSphere client.

To resolve the issue, what would you try first?

- A. Stop and restart VMs.
- B. Ensure Storage Array is reachable from VSP.
- C. In the cluster, check cabling between server and storage array.
- D. Right-click each Host in the cluster and select Reconfigure for HA.

Correct Answer: B

[76940X PDF Dumps](#)

[76940X VCE Dumps](#)

[76940X Exam Questions](#)