

98-388^{Q&As}

Introduction to Programming Using Java

Pass Microsoft 98-388 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/98-388.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

The question requires that you evaluate the underlined text to determine if it is correct. You have the following class definition:

```
class Logger
{
    public void logError(String message)
    {
    }
}
```

The logError method can be invoked by code in all classes in the same package as the Logger class.

Review the underlined text. If it makes the statement correct, select "No change is needed." If the statement is incorrect, select the answer choice that makes the statement correct.

- A. No change is needed
- B. only by the Logger class
- C. only by the Logger class and classes in the same package that inherit from it
- D. by all classes in all packages

Correct Answer: C

QUESTION 2

HOTSPOT

The program is supposed to display a message to the console while it counts down from 60. The method does not work as intended.

How should you complete the code? To answer, select the appropriate code segments in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

```
public static void main(String[] args) {  
    int timer = 60;
```

```
    while (timer ) {
```

```
        if (timer ) {  
            break;
```

```
        }  
        else {  
            System.out.println("The timer is counting down...");
```

```
            timer   
        }
```

```
    }  
}
```

Correct Answer:

Answer Area

```
public static void main(String[] args) {
    int timer = 60;

    while (timer ) {

        if (timer ;
        }
    }
}
```

References: <https://docs.oracle.com/javase/tutorial/java/nutsandbolts/operators.html>

QUESTION 3

DRAG DROP

You are writing a Java method.

The program must meet the following requirements:

Accept a String parameter firstName

Display a welcome message that contains firstName

Ensure that the first letter of the name is capitalized, and the remaining letters are in lowercase

How should you complete the code? To answer, drag the appropriate code segment to the correct position. Each code segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to

view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Code Segments

charAt	substring
toLowerCase	toUpperCase

Answer Area

```
public String showGreeting(String firstName)
{
    String welcomeMsg = "Welcome, ";
    welcomeMsg += firstName. [ ] (0, 1). [ ] ();
    firstName. [ ] (1). [ ] ();
    return welcomeMsg;
}
```

Correct Answer:

Code Segments

Answer Area

```
public String showGreeting(String firstName)
{
    String welcomeMsg = "Welcome, ";
    welcomeMsg += firstName.charAt [ ] (0, 1). substring [ ] ();
    firstName. toUpperCase [ ] (1). toLowerCase [ ] ();
    return welcomeMsg;
}
```

QUESTION 4

You work as a Java programmer.

You need to convert a numeric String to a primitive double value.

What code segment should you use?

- A. Double.valueOf(numberString);
- B. double.parseDouble(numberString);
- C. String.parseDouble(numberString);

D. Double.parseDouble(numberString);

Correct Answer: B

References: <https://www.javacodeexamples.com/convert-string-to-primitive-example/140>

QUESTION 5

HOTSPOT

You are creating a method that converts a string representation of a number into an actual number.

The numbers passed into the method include whole numbers and fractional numbers.


How should you complete the code? To answer, select the appropriate code segments in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

```
public void convertStringToNumber(String numberAsString)
{
    [dropdown] number = [dropdown] . [dropdown] (numberAsString);
    System.out.println(number);
}
```



Correct Answer:

Answer Area

```
public void convertStringToNumber(String numberAsString)
{
    number = Integer.parseInt(numberAsString);
    System.out.println(number);
}
```

References: <https://docs.oracle.com/javase/tutorial/java/data/converting.html>

[98-388 VCE Dumps](#)

[98-388 Exam Questions](#)

[98-388 Braindumps](#)