

A00-211^{Q&As}

SAS Base Programming for SAS 9

Pass SASInstitute A00-211 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/a00-211.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

A user-defined format has been created using the FORMAT procedure. Where is it stored?

- A. in a SAS catalog
- B. in an external binary file
- C. in a SAS dataset in the WORK library
- D. in a SAS dataset in a permanent SAS data library

Correct Answer: A

QUESTION 2

The SAS data set EMPLOYEE_INFO is listed below:

IDNumber Expenses

2542 100.00

3612 133.15

2198 234.34

2198 111.12

The following SAS program is submitted:

```
proc sort data = employee_info;  
run;
```

Which one of the following BY statements completes the program and sorts the data sequentially by descending expense values within each descending IDNUMBER value?

- A. by descending IDNumber Expenses;
- B. by (IDNumber Expenses) descending;
- C. by IDNumber descending Expenses descending;
- D. by descending IDNumber descending Expenses;

Correct Answer: D

QUESTION 3

The following SAS program is submitted:

```
data WORK.ONE;  
Text='US - Australia - Denmark';  
Pos=find(Text,'US','i',5);  
run;
```

What value will SAS assign to Pos?

A. 12

Correct Answer: A

QUESTION 4

A raw data file is listed below:

-----10-----20-----30

squash 1.10

apples 2.25

juice 1.69

The following SAS program is submitted using the raw data file above:

```
data groceries;  
infile \\file-specification\\;  
input item $ cost;  
run;
```

Which one of the following completes the program and produces a grand total for all COST values?

- A. grandtot = sum cost;
- B. grandtot = sum(grandtot,cost);
- C. retain grandtot 0; grandtot = sum(grandtot,cost);
- D. grandtot = sum(grandtot,cost); output grandtot

Correct Answer: C

QUESTION 5

This question will ask you to provide a missing format: Given the contents of the raw data file '\\EMPLOYEE.TXT\\'

```
-----10-----20-----30-----  
empA      19 2  2004 ACCT  
empB      22 5  2004 MKTG  
empC      14 3  2004 EDUC
```

The following program is being developed to read the raw data file into a SAS data set:

```
data WORK.EMPLOYEE;  
  infile 'C:\EMPLOYEE.TXT';  
input  
@1 FirstName $  
@15 StartDate <insert informat here>  
@25 Department $;  
run;
```

Which SAS information correctly completes the program?

- A. date10
- B. mmdyy10
- C. ddmmyy10
- D. date9

Correct Answer: B

[A00-211 PDF Dumps](#)

[A00-211 Practice Test](#)

[A00-211 Braindumps](#)