

A2090-544^{Q&As}

Assessment: DB2 9.7 Advanced DBA for LUW - Assessment

Pass IBM A2090-544 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/a2090-544.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

An active partitioned instance named DB2INST1 uses the following db2nodes.cfg file: 1 server1 0 2 server1 1 3 server1 2 4 server1 3 The following command is issued to add a new database partition: db2start DBPARTITIONNUM 5 ADD DBPARTITIONNUM HOSTNAME server1 PORT 4 Upon successful completion of the db2start command, which statement is true regarding the status of the instance DB2INST1?

- A. Partitions 1, 2, 3, 4, and 5 are active and available.
- B. Partitions 1, 2, 3, and 4 are active, but partition 5 is not.
- C. All partitions are active but partition 5 is not available until a temporary table space is defined.
- D. DB2 responds to the configuration change by stopping all partitions.

Correct Answer: B

QUESTION 2

Table TAB1 was created using the following statement:

CREATE TABLE tab1 (c1 INT, c2 INT, c3 INT, c4 INT, c5 INT); If column C1 is unique and queries typically access columns C1, C2 and C3 together, which statement(s) will create index(es) that will provide optimal query performance?

- A. CREATE UNIQUE INDEX xtab1 ON tab1 (c1);CREATE INDEX xtab2 ON tab1 (c2) INCLUDE (c3);
- B. CREATE UNIQUE INDEX xtab1 ON tab1 (c1) INCLUDE (c2, c3);
- C. CREATE UNIQUE INDEX xtab1 ON tab1 (c3, c2, c1);
- D. CREATE UNIQUE INDEX xtab1 ON tab1 (c2) INCLUDE (c1, c3);

Correct Answer: B

QUESTION 3

A DBA has established connectivity to a DB2 for z/OS database and is exploiting a System z sysplex for load balancing and fault-tolerance. Which series of statements and commands can be issued to ensure that agents remain allocated to help maintain the sysplex server list?

- A. UPDATE DBM CFG USING NUM_INITAGENTS 200;db2stop;db2start;
- B. UPDATE DBM CFG USING NUM_INITAGENTS 0;db2stop;db2start;
- C. UPDATE DBM CFG USING NUM_POOLAGENTS 200;db2stop;db2start;
- D. UPDATE DBM CFG USING NUM_POOLAGENTS 0;db2stop;db2start;

Correct Answer: C

QUESTION 4

Which statement is true about clustering indexes in a partitioned database?

- A. The partitioning key column(s) should be added to the clustering index with the INCLUDE option.
- B. The clustering index column(s) should be suffixed by the partitioning key column(s).
- C. The clustering index column(s) should be prefixed by the partitioning key column(s).
- D. The partitioning key column(s) should be added immediately after the column in the clustering index with the highest cardinality.

Correct Answer: C

QUESTION 5

Which option of the REORG TABLE statement will release blocks that contain no rows from a multidimensional clustering (MDC) table?

- A. RECLAIM EXTENTS ONLY
- B. RELEASE FREE EXTENTS ONLY
- C. RECLAIM FREE BLOCKS
- D. RELEASE FREE BLOCKS ONLY

Correct Answer: A

[A2090-544 PDF Dumps](#)

[A2090-544 Exam Questions](#)

[A2090-544 Braindumps](#)