

A4040-221^{Q&As}

Assessment: AIX 7 Administration

Pass IBM A4040-221 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/a4040-221.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What is the name given to the default paging space partition created during AIX installation?

- A. hd1
- B. hd5
- C. hd6
- D. hd7

Correct Answer: B

QUESTION 2

An administrator migrated a global environment of AIX 6 to AIX 7 using NIM. They have attempted to use the migwpar command to migrate a selection of hosted WPARs from AIX 6 to AIX 7, but a detached system WPAR fails to migrate to AIX 7. How can a detached system WPAR be migrated to AIX 7?

- A. NIM
- B. AIX install media
- C. savewpar command
- D. syncwpar command

Correct Answer: B

QUESTION 3

How can an administrator rename hdisk2 to cldisk1?

- A. chpv-n cldisk1 hdisk2
- B. rendev-l hdisk2 -n cldisk1
- C. clcmd-l hdisk2-d cldisk1
- D. chdev-l hdisk2-aname=cldisk1

Correct Answer: B

QUESTION 4


Solid State Drives (SSDs) have been added to a POWER7 system, and the administrator would like to migrate filesystems with high I/O activity to the SSDs. What TWO options or commands will assist the administrator with identifying filesystem activity? (Select 2)

- A. svmon
- B. tprof
- C. filemon
- D. Hot File Detection
- E. fileplace

Correct Answer: CD

QUESTION 5

An administrator created a log logical volume named dbfs2loglv. Given the following output, why did the system create and use a new log logical volume rather than the log logical volume that the administrator specified?



```
# mklv -y'dbfs2loglv' -t'jfs2log' db2vg 1
dbfs2loglv
# crfs -v jfs2 -m /db2db -g db2vg -A yes -a size=6400M
File system created successfully.
6553196 kilobytes total disk space.
New File System size is 13107200
# mount /db2db
# mount
```

node	mounted	mounted over	vfs	date	options
/dev/hd4	/		jfs2	Sep 28 09:41	rw,log=/dev/hd8
/dev/hd2	/usr		jfs2	Sep 28 09:41	rw,log=/dev/hd8
/dev/hd9var	/var		jfs2	Sep 28 09:41	rw,log=/dev/hd8
/dev/hd3	/tmp		jfs2	Sep 28 09:41	rw,log=/dev/hd8
/dev/hd1	/home		jfs2	Sep 28 09:42	rw,log=/dev/hd8
/dev/hd11admin	/admin		jfs2	Sep 28 09:42	rw,log=/dev/hd8
/proc	/proc		procfs	Sep 28 09:42	rw
/dev/hd10opt	/opt		jfs2	Sep 28 09:42	rw,log=/dev/hd8
/dev/livedump	/var/adm/ras/livedump		jfs2	Sep 28 09:42	rw,log=/dev/hd8
/dev/fslv00	/db2db		jfs2	Oct 03 20:59	rw,log=/dev/loglv00

- A. The filesystem was built with a mirrored logical volume and 2 log logical volumes are needed.
- B. The administrator created the db2fsloglv log but neglected to format it with the logform command.
- C. The db2fsloglv log was created as a JFS log and a JFS2 log was needed.
- D. There was already another filesystem using the db2fsloglv when the filesystem was created

Correct Answer: B