

BH0-007^{Q&As}

ISEB Intermediate Certificate in Software Testing

Pass ISEB BH0-007 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/bh0-007.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by ISEB
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You need to test that the rules have been correctly set up in the configuration table, according to the specification. Which one of the following test design techniques would be most suitable for this?

- A. Data flow testing.
- B. Statement testing.
- C. Decision table testing.
- D. Boundary value analysis.

Correct Answer: C

QUESTION 2

Which of the following best describes the difference between the use of walkthroughs and inspections in this scenario?

- A. Walkthroughs of specifications would enable the individuals to learn more about the system being developed, whilst inspections would allow the organization as a whole to improve.
- B. Walkthroughs of signalling rules will be more cost effective than inspections.
- C. Inspections of code should be carried out by the developers, whilst code walkthroughs should include just the testers.
- D. A walkthrough is an example of a static testing technique, whilst an inspection is an example of a dynamic testing technique.

Correct Answer: A

QUESTION 3

Which of the following best describes the order in which this should be carried out?

- a.
Decide which category of test design technique to use.
- b.
Review test specifications.
- c.
Write test procedures.
- d.
Create test cases.

e.

Identify test conditions.

A.

a, b, d, e then c.

B.

b, e, a, d then c.

C.

b, a, d, c then e.

D.

e, b, a, d then c.

Correct Answer: B

QUESTION 4

Which of the following activities should be carried out at the start of this process?

A. Marketing of the service to as many people as possible to reduce the risk of poor revenues.

B. Holding a workshop with as many stakeholders as possible to gain their views on the risks to the product and project.

C. Meeting with the project manager to agree a bigger budget.

D. Meeting with the development manager to agree defect fix turn-around times.

Correct Answer: B

QUESTION 5

Which of the following would be an entry criterion into site acceptance testing for the air quality monitoring system?

A. That the code written to fulfil the requirement to monitor carbon dioxide levels has been 100% path tested.

B. That the functional specification accurately reflects requirements R1 and R2.

C. That the system has been tested at levels of oxygen usage well beyond anticipated personnel levels.

D. That the requirements for temperature control have been signed-off.

Correct Answer: C

[BH0-007 PDF Dumps](#)

[BH0-007 Practice Test](#)

[BH0-007 Exam Questions](#)