

C2010-501^{Q&As}

IBM Maximo Asset Management V7.5 Infrastructure Implementation





Pass IBM C2010-501 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c2010-501.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which two steps must be completed to disable the Maximo Integration Framework (MIF) on a specific IBM Maximo Asset Management Java Virtual Machine?

- A. rebuild the MIF EAR file on the application server
- B. comment out message driven bean sections in the ejb-jar.xml
- C. set the parameter mxe.int.donotrun in the maximo.properties file
- D. delete the ibm-ejb-jar-bnd.xmi file from the applications directory
- E. rebuild and deploy the Maximo EAR file on the application server

Correct Answer: AB

QUESTION 2

When building a new IBM Maximo Asset Management V7.5 (Maximo) EAR file and redeploying it to the J2EE server, which process should also be run for a clean J2EE deployment with no remaining effects from previous builds?

- A. restart the J2EE server
- B. delete the old tools.jar file
- C. clear the J2EE server Maximo application cache
- D. restart the Maximo Java Virtual Machine to clear the cache

Correct Answer: D

QUESTION 3

A company is running IBM Maximo Asset Management in three clusters: 1 for User Interface (UI), 1 for reporting, and 1 for cron jobs. What needs to be done to run all cron jobs on only the cron cluster?

- A. in the UI and reporting clusters maximo.properties files, add mxe.crontask.run=all
- B. in the UI and reporting clusters maximo.properties files, add mxe.crontask.donotrun=1
- C. in the UI and reporting clusters maximo.properties files, add mxe.crontask.donotrun=all
- D. in the UI and reporting clusters maximo.properties files, add mxe.crontask.donotrun=SEGQOUT

Correct Answer: C

QUESTION 4

When enabling Application Server Security in IBM Maximo Asset Management V7.5, which property value must be set?

- A. mxe.encrypted=true
- B. mxe.encrypted=false
- C. mxe.useAppServerSecurity=1
- D. mxe.useAppServerSecurity=0

Correct Answer: C

QUESTION 5

Which utility applies database changes associated with an IBM Maximo Asset Management fix pack installation?

- A. dbupdate
- B. updatedb
- C. dbupgrade
- D. upgradeui

Correct Answer: B

[Latest C2010-501 Dumps](#)

[C2010-501 Practice Test](#)

[C2010-501 Braindumps](#)