

# C2040-911<sup>Q&As</sup>

IBM WebSphere Portal 8.0 Solution Development

**Pass IBM C2040-911 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c2040-911.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



#### QUESTION 1

Which is not a valid CSS style defined in the JSR 286 Portlet Specification?

- A. portlet-a
- B. portlet-font
- C. portlet-msg-info
- D. portlet-section-text

Correct Answer: A

---

#### QUESTION 2

When creating and registering a custom portlet service, it is possible to set initialization parameters. What code would Adrienne use to access a parameter with the name `sample.portletservice.HelloServiceImpl2.message`?

- A. 

```
public void init(Preferences servicePreferences) { String message = servicePreferences.get("message", "Hello"); }
```
- B. 

```
public void sayHello(RenderRequest request, RenderResponse response) { String message = request.getAttribute("message"); }
```
- C. 

```
public void init(Preferences servicePreferences) { String message = servicePreferences.getInitParam("message", "Hello"); }
```
- D. 

```
public void sayHello(RenderRequest request, RenderResponse response) { String message = request.getParameter("message"); }
```

Correct Answer: A

---

#### QUESTION 3

Evan wants to develop a portlet to act as a target using click-to-action. He wants to develop a client-side click-to-action handler. Which best describes the ways that he can get the source data submitted by the source portlet?

- A. He can retrieve the source form and the input inside from the page Document Object Model.
- B. He can retrieve the source data from the `window.ibm.portal.c2a.event.value` global variable.
- C. Either of the above.
- D. None of the above.

Correct Answer: C

---

#### QUESTION 4

Hershel wants to programmatically check if specific users have access to his company's new portlet application, in order to show a message in another portlet asking them to purchase a subscription. He is trying to do so with the least amount of performance overhead. What would be the best way for Hershel to accomplish this?

- A. He should use the `com.ibm.portal.ac.RoleData` interface to verify explicit role assignments.
- B. He should use the `com.ibm.portal.ac.UserRoles` interface to verify explicit role assignments.
- C. He should read role assignments using the `com.ibm.portal.ac.RoleData` interface and ensure portlet caching is enabled.
- D. He should use `AccessControlRuntimeModel` or `AccessControlGlobalRuntimeModel` to verify explicit role assignments.

Correct Answer: D

---

#### QUESTION 5

Which one of the following statements is valid regarding credential objects?

- A. Credential objects are serializable.
- B. To create a slot for storing active credentials, set the `active` parameter of the `CredentialVaultService.createSlot` method to `true`.
- C. Passive credential objects hide the credential's secret from the portlet.
- D. Portlets that use active credential objects need to extract the secret from the credential to authenticate with the backend.

Correct Answer: B

[Latest C2040-911 Dumps](#)

[C2040-911 Practice Test](#)

[C2040-911 Exam Questions](#)