

C2090-311^{Q&As}

IBM DB2 10.5 DBA for LUW Upgrade from DB2 10.1

Pass IBM C2090-311 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c2090-311.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which statement about expression-based indexes is true?

- A. The RUNSTATS command cannot be used to collect statistics for expression-based indexes.
- B. Expression-based indexes must always be defined as UNIQUE to prevent duplicate index keys.
- C. Expression-based index keys consist of a concatenation of one or more specified table columns.
- D. The index key values of expression-based indexes are not the same as the values in the corresponding table columns.

Correct Answer: D

QUESTION 2

If Self Tuning Memory Manager (STMM) is enabled for a DB2 10.5, FixPack 1 pureScale database, which two capabilities are available?

- A. Multi-tenancy
- B. Workload consolidation
- C. Independent tuning member
- D. Broadcasting STMM tuning decisions to all members
- E. Single INSTANCE_MEMORY instance configuration memory setting

Correct Answer: DE

QUESTION 3

Which monitoring function can be used to determine how many times an SQL statement has referenced a particular column-organized table within a specific period of time?

- A. MON_GET_TABLE()
- B. MON_GET_TABLESPACE()
- C. MON_GET_UNIT_OF_WORK()
- D. MON_GET_TABLE_USAGE_LIST()

Correct Answer: A

QUESTION 4

What does the monitor element POOL_FAILED_ASYNC_TEMP_COL_REQS track?

- A. The number of times an attempt to queue a column-organized prefetch request for temporary table spaces was made but failed.
- B. The number of times a temporary error occurred while trying to queue a column-organized prefetch request for a regular table space.
- C. The number of times DB2 had to retrieve a page from disk for a temporary column-organized table because the page no longer resided in the buffer pool.
- D. The number of times an asynchronous read request failed when attempting to read temporary column-organized data from the buffer pool after the page had been flushed to disk.

Correct Answer: B

QUESTION 5

When the DB2_COMPATIBILITY_VECTOR registry variable is set to ORA, what is the maximum row width size for database tables?

- A. 32 KB
- B. 64 KB
- C. 1MB
- D. 2 MB

Correct Answer: B

[Latest C2090-311 Dumps](#)

[C2090-311 VCE Dumps](#)

[C2090-311 Study Guide](#)