

C2090-610^{Q&As}

DB2 10.1 Fundamentals

Pass IBM C2090-610 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c2090-610.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Given the following statements:

```
CREATE TABLE employee (empid INTEGER, info XML);

INSERT INTO employee VALUES (1,
'<employeeinfo>
  <name>Joe Smith</name>
  <department name="DB2">
    <team>Development</team>
  </department>
</employeeinfo>');
```

If the following XQuery statement is executed:

```
XQUERY
for $info in db2-fn:xmlcolumn('EMPLOYEE.INFO')/employeeinfo
return $info/name
```

What will be the result?

- A. Joe Smith
- B. Joe Smith
- C. Joe Smith>DB2
- D. Joe Smith

Correct Answer: B

QUESTION 2

Given an EMPLOYEES table and a SALES table, a user wants to produce a list of all employees and their associated revenue, even if no revenue exists. Which SQL statement will produce the desired list?

- A. SELECT employees.name, sales.revenue FROM employees INNER JOIN sales ON employees.id = sales.emp_id
- B. SELECT employees.name, sales.revenue FROM employees INNER JOIN sales ON sales.emp_id = employees.id
- C. SELECT employees.name, sales.revenue FROM sales LEFT OUTER JOIN employees ON employees.id = sales.emp_id
- D. SELECT employees.name, sales.revenue FROM sales RIGHT OUTER JOIN employees ON employees.id = sales.emp_id

Correct Answer: D

QUESTION 3

When a COMMIT statement is executed, what happens?

- A. All locks held on the database are automatically released.
- B. Data stored in global temporary tables is automatically deleted.
- C. Open cursors defined WITH HOLD are closed, but their data is retained.
- D. The current transaction is terminated and a new transaction boundary is started.

Correct Answer: D

QUESTION 4

If the following result set is desired:

LASTNAME	FIRSTNAME	SALARY	JOB
HAAS	CHRISTINE	152750.00	PRES
KWAN	SALLY	98250.00	MANAGER
PULASKI	EVA	96170.00	MANAGER
THOMPSON	MICHAEL	94250.00	MANAGER
HENDERSON	EILEEN	89750.00	MANAGER

Which SQL statement must be executed?

- A. SELECT lastname, firstme, salary, job FROM employee ORDER BY 3 FETCH FIRST 5 ROWS ONLY
- B. SELECT lastname, firstme, salary, job FROM employee ORDER BY 3 DESC FETCH FIRST 5 ROWS ONLY
- C. SELECT lastname, firstme, salary, job FROM employee ORDER BY 3 FETCH FIRST 5 ROWS
- D. SELECT lastname, firstme, salary, job FROM employee ORDER BY 3 DESC FETCH FIRST 5 ROWS

Correct Answer: B

QUESTION 5

Which object can a buffer pool be assigned to?

- A. Schema
- B. Table space
- C. Storage group
- D. Stored procedure

Correct Answer: B

[C2090-610 PDF Dumps](#)

[C2090-610 VCE Dumps](#)

[C2090-610 Practice Test](#)