

C2090-611^{Q&As}

DB2 10.1 DBA for Linux UNIX and Windows

Pass IBM C2090-611 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c2090-611.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A DB2 for AIX server has two instances named DEV and PROD. Each instance contains a database named ACCOUNTS and a database named PAYROLL. What can be done to prevent a DB2 Discovery operation from seeing the DEV instance and its databases?

- A. Set the DISCOVER_DB database manager configuration parameter for the DEV instance to DISABLE.
- B. Set the DISCOVER DB2 administration server (DAS) configuration parameter on the client to DISABLE.
- C. Set the DISCOVER DB2 administration server (DAS) configuration parameter on the server to DISABLE.
- D. Set the DISCOVER_INST database manager configuration parameter for the DEV instance to DISABLE.

Correct Answer: D

QUESTION 2

Which type of table space can be associated with only one storage group?

- A. Automatic storage space (AS)
- B. System managed space (SMS)
- C. Database managed space (DMS) File
- D. Database managed space (DMS) Device

Correct Answer: A

QUESTION 3

Which statement about Binary XML is FALSE?

- A. Binary XML format is only used for data transmission.
- B. Binary XML data refers to data that is in the XDBX format.
- C. Only textual XML data format is supported by Binary XML.
- D. The binary format provides a faster way to transmit and receive XML data.

Correct Answer: C

QUESTION 4

What is an informational constraint?

- A. A constraint that defines a relationship to a federated object.

- B. A constraint that is used by the optimizer but is not enforced.
- C. A constraint that provides Information to the RUNSTATS utility.
- D. A constraint that is created from information supplied to the design advisor.

Correct Answer: B

QUESTION 5

If you are running DB2 in clustered environment, what utility should you use to get the status of cluster?

- A. db2istat
- B. db2clust
- C. db2haicu
- D. db2hastat

Correct Answer: C

[C2090-611 VCE Dumps](#)

[C2090-611 Practice Test](#)

[C2090-611 Exam Questions](#)