

C2090-611^{Q&As}

DB2 10.1 DBA for Linux UNIX and Windows

Pass IBM C2090-611 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c2090-611.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What is the MAX_LOG database configuration parameter used for?

- A. To limit how many log files a single transaction can span.
- B. To limit the percentage of primary log space a running transaction can consume.
- C. To limit the total number of primary and secondary log files a database can consume.
- D. To limit the total number of secondary log files a transaction can consume before infinite logging is enabled.

Correct Answer: B

QUESTION 2

A table named SALES was created as follows:

```
CREATE TABLE sales
(sales_date DATE WITH DEFAULT,
 sales_rep INTEGER,
 sales_amt DECIMAL(12, 2))
```

If management wants to use Label-Based Access Control (LBAC) to protect individual rows in the SALES table, and the security policy needed (SEC_POLICY) has already been created, what must be done to protect the table as desired?

- A. Associate the SEC_POLICY security policy with the SALES table.
- B. Add a column with the DB2SECURITYLABEL data type to the SALES table.
- C. Add a column with the DB2SECURITYLABEL data type to the SALES table and then associate the SEC_POLICY security policy with the table.
- D. Add a SECURED WITH clause to every column in the SALES table and then associate the SEC_POLICY security policy with the SALES table.

Correct Answer: C

QUESTION 3

Which statement about range-clustered tables is true?

- A. Range-clustered tables can be used with the REORG utility.
- B. Range-clustered tables can be used with multiple-column keys.
- C. Range-clustered tables can be used in a DB2 pureScale environment.
- D. Range-clustered tables can be used with value and default compression.

Correct Answer: B

QUESTION 4

Which statement is true regarding the workload management dispatcher?

- A. The workload management dispatcher monitors work performed by entities executing in the DB2 system service class.
- B. The workload management dispatcher monitors the allocation of CPU resources between service classes on a system.
- C. The workload management dispatcher monitors non-DB2 work performed in fenced mode processes such as fenced stored procedures.
- D. The workload management dispatcher monitors work performed by applications or middleware products that perform a portion of their work outside of the DB2 database manager.

Correct Answer: B

QUESTION 5

Which statement is correct when describing trusted contexts?

- A. A trusted context defines a trust relationship for a connection between the database and an external entity.
- B. A trusted context promotes the authorization level of the connection initiator and grants them DBADM authority.
- C. A trusted context defines a trust relationship between a user and a table allowing that user additional capabilities.
- D. A trusted context gives the database connection the ability to bypass auditing since authentication has already occurred.

Correct Answer: A

[Latest C2090-611 Dumps](#)

[C2090-611 Study Guide](#)

[C2090-611 Exam Questions](#)