

# C2090-730<sup>Q&As</sup>

DB2 9 Family Fundamentals

**Pass IBM C2090-730 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c2090-730.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which of the following statements allows BOB to revoke access to the SAMPLE database from user TOM?

- A. REVOKE ACCESS ON DATABASE FROM USER bob
- B. REVOKE CONNECT ON DATABASE FROM USER tom
- C. REVOKE tom FROM ACCESS ON DATABASE BY USER bob
- D. REVOKE tom FROM CONNECT ON DATABASE BY USER bob

Correct Answer: B

---

**QUESTION 2**

Which of the following is the best statement to use to create a user-defined data type that can be used to store currency values?

- A. CREATE DISTINCT TYPE currency AS NUMERIC(7,2)
- B. CREATE DISTINCT TYPE currency AS SMALLINT
- C. CREATE DISTINCT TYPE currency AS BIGINT
- D. CREATE DISTINCT TYPE currency AS DOUBLE

Correct Answer: A

---

**QUESTION 3**

What is the purpose of the Design Advisor?

- A. To analyze workloads and make recommendations for indexes and MQTs
- B. To present a graphical representation of a data access plan and recommend design changes that will improve performance
- C. To replicate data between a DB2 database and another relational database
- D. To configure clients so they can access databases stored on remote servers

Correct Answer: A

---

**QUESTION 4**

Two applications have created a deadlock cycle in the locking subsystem. If lock timeout is set to 30 and both applications were started at the same time, what action will the deadlock detector take when it "wakes up" and discovers the deadlock?

- A. It will randomly pick an application and rollback its current transaction
- B. It will rollback the current transactions of both applications
- C. It will wait 30 seconds, then rollback the current transactions of both applications if the deadlock has not been resolved
- D. It will go back to sleep for 30 seconds, then if the deadlock still exists, it will randomly pick an application and rollback its current transaction

Correct Answer: A

---

#### QUESTION 5

A sequence was created with the DDL statement shown below: CREATE SEQUENCE my\_seq START WITH 5 INCREMENT BY 5 CACHE 5

User1 successfully executes the following statements in Connection1: VALUES NEXT VALUE FOR my\_seq INTO :con1hvar VALUES NEXT VALUE FOR my\_seq INTO :con1hvar User2 successfully executes the following statement in Connection2: VALUES NEXT VALUE FOR my\_seq INTO :con2hvar

After User1 and User2 are finished, User3 executes the following statement in Connection3:

```
SELECT NEXT VALUE FOR my_seq FROM sysibm.sysdummy1
```

Which value will be returned by the query?

- A. 20
- B. 25
- C. 50
- D. 55

Correct Answer: D