

C2090-730^{Q&As}

DB2 9 Family Fundamentals

Pass IBM C2090-730 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/c2090-730.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

If the following SQL statement is executed:

```
CREATE TABLE sales  
(invoice_no NOT NULL PRIMARY KEY,  
sales_date DATE,  
sales_amt NUMERIC(7,2))  
IN tbsp0, tbsp1, tbsp2, tbsp3  
PARTITION BY RANGE (sales_date NULLS FIRST)  
(STARTING '1/1/2007' ENDING '12/31/2007'  
EVERY 3 MONTHS)
```

Which of the following statements is true?

- A. Administrative tasks such as backing up, restoring, and reorganizing data stored in the SALES table must be done at the table level; not at the partition level
- B. Data can be quickly rolled in and out of the SALES table by using the ATTACH PARTITION and DETACH PARTITION clauses of the ALTER TABLE statement
- C. If an index is created for the SALES table, its data must be stored in table space TBSP0
- D. When resolving queries against the SALES table, each partition used is scanned asynchronously and the results of each partition scan are merged to produce the result data set returned

Correct Answer: B

QUESTION 2

Which of the following is a valid DB2 data type?

- A. NUMBER
- B. INTERVAL
- C. BYTE
- D. NUM

Correct Answer: D

QUESTION 3

Which of the following is a valid wildcard character in a LIKE clause of a SELECT statement?

- A. %
- B. *
- C. ?
- D. \

Correct Answer: A

QUESTION 4

In a client-server environment, which two of the following can be used to verify passwords?

- A. System Catalog
- B. User ID/password file
- C. Client Operating System
- D. Communications layer
- E. Application Server

Correct Answer: CE

QUESTION 5

Which of the following is true about XML columns?

- A. XML columns are used to store XML documents as a hierarchical set of entities
- B. Only XQuery can be used to retrieve an XML document from an XML column
- C. XML columns must be altered to accommodate additional parent/child relationships if they are used in referential constraints
- D. In order to access any portion of an XML document stored in an XML column, the entire document must be retrieved

Correct Answer: A

[C2090-730 VCE Dumps](#)

[C2090-730 Practice Test](#)

[C2090-730 Braindumps](#)