CORESPRINGV3.2^{Q&As}

Core-Spring (based on Spring 3.2)

Pass SpringSource CORESPRINGV3.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/corespringv3-2.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SpringSource Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Identify the correct statement(s) about the following pointcut expression: execution(* rewards..restaurant.*.*(*)) (select one or several answers)

A. There may be several directories between \\'rewards\\' and \\'restaurant\\'

B. There is no restriction on the class name

C. The target method may have several arguments

D. The return type must not be "void"

Correct Answer: AB

QUESTION 2

Security filters are used in Spring Security in which ways? (select one)

A. To drive authentication

B. To enforce authorization of web requests

C. To provide a logout capability

D. All of the above

Correct Answer: D

QUESTION 3

Which statement is NOT a characteristic of Spring\\'s PlatformTransactionManager base interface (select one)

A. When declaring a PlatformTransactionManager implementation inside Spring configuration: as a requirement, the bean id should be "transactionManager"

B. The PlatformTransactionManager interface abstracts the differences between local and JTA transactions

C. There are various implementations of JTA transaction managers for different Java EE containers

D. PlatformTransactionManager is used in both declarative and programmatic transaction management

Correct Answer: A

QUESTION 4

Which of the following statements about use of the @Transactional annotation in a JUnit integration test is NOT true? (Select one)

A. Annotating a test with @Transactional will cause the test method to run in a transaction

B. Annotating a test class with @Transactional will cause all its test methods to run in transactions

C. Application code that runs in a transaction with REQUIRES_NEW propagation can have those changes rolled back by an @Transactional test

Correct Answer: C

QUESTION 5

Consider the following Spring Security configuration