

E20-340^{Q&As}

Clariion solutions implementation

Pass EMC E20-340 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/e20-340.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

How is LUN visibility and ownership characterized in an ALUA-aware environment?

- A. LUNs are visible through both SPs; LUN is owned by one SP.
- B. LUNs are visible through both SPs; LUN is owned by both SPs.
- C. LUNs are visible through and owned by only one SP.
- D. LUNs are visible through one SP and owned by both SPs.

Correct Answer: A

QUESTION 2

On a ED-DCX-4S-B midsize backbone director you will find four ICL ports. What are these ports used for?

- A. To connect two DCX chassis
- B. To provide 10G FC and FICON connections
- C. To allow FCIP communications
- D. To provide ISL connections

Correct Answer: A

QUESTION 3

You are at a customer site to perform a CLARiiON model conversion.

Which utility would you have used to plan your course of action?

- A. CPG
- B. HEAT
- C. SWAT
- D. CAP

Correct Answer: A

QUESTION 4

A new switch is received and needs to be connected into an existing SAN. What port type is used for the ISL trunking feature?

A. E_port

B. F_port

C. FL_port

D. G_port

Correct Answer: A

QUESTION 5

A customer has a vSphere 4.x server and wants to ensure that ALUA is configured correctly. What is the correct failover mode setting for this host?

A. 4

B. 3

C. 2

D. 1

Correct Answer: A

[E20-340 PDF Dumps](#)

[E20-340 VCE Dumps](#)

[E20-340 Braindumps](#)