

E20-361^{Q&As}

Network Attached Storage (NAS) Implementation Exam

Pass EMC E20-361 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/e20-361.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

In a NSX, what is the maximum number of standby Data Movers that can back up a single primary?

- A. 1
- B. 3
- C. 7
- D. 13

Correct Answer: C

QUESTION 2

Which statement describes Celerra gateway Fibre Channel connectivity between the blades and the back- end storage?

- A. Symmetrix back-end storage can only be connected to blades via switched fabric.
- B. CLARiiON back-end storage can only be connected to blades via switched fabric.
- C. CLARiiON back-end storage can only be connected to blades via direct connection.
- D. Symmetrix back-end storage can only be connected to blades via direct connection.

Correct Answer: A

QUESTION 3

Which function is provided by domain controllers and NIS?

- A. Centralized user authentication
- B. Dynamic configuration of hosts
- C. Encryption
- D. Name resolution

Correct Answer: A

QUESTION 4

Which Celerra NS component is supplied with power by the SPS?

- A. Control Station

- B. Data Mover
- C. First DAE2
- D. Second DAE2

Correct Answer: C

QUESTION 5

Which interface can be used to create automatically mounted checkpoints?

- A. Celerra CLI
- B. Celerra Monitor
- C. CLARiiON Navisphere Manager
- D. EMC. ControlCenter NAS interface

Correct Answer: A

[E20-361 PDF Dumps](#)

[E20-361 VCE Dumps](#)

[E20-361 Exam Questions](#)