E20-517^{Q&As}

Symmetrix Solutions Specialist Exam for Storage Administrators

Pass EMC E20-517 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/e20-517.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

![Pass2Lead](https://Pass2Lead.com)
QUESTION 1

What is recommended before performing a TimeFinder/Clone establish operation?

A. Clone target devices should not be actively accessed

B. Clone source devices should not be actively accessed

C. Clone target devices should be write disabled

D. Clone source devices should be write disabled

Correct Answer: A

QUESTION 2

What is the state of the standard and BCV devices after a full TimeFinder/Mirror "Establish" has been initiated?

A. Standard is Read Only and BCV is Not Ready

B. Standard is Read Only and BCV is Read Only

C. Standard is Read/Write and BCV is Not Ready

D. Standard is Read/Write and BCV is Read/Write

Correct Answer: A

QUESTION 3

If the default values in Unisphere for VMAX are not changed, which value will trigger a critical alert for Thin Device Usage?

A. 15

B. 40

C. 80

D. 100

Correct Answer: C

QUESTION 4

What is the default maximum number of TimeFinder/Snap sessions that can be created from a source volume on a VMAX 20K array?

A. 7

![Pass2Lead](https://Pass2Lead.com)
B. 14

C. 32

D. 128

Correct Answer: B

QUESTION 5

Which of following Solutions Enabler host file contains Symmetrix status and configuration information?

A. symavoid

B. impl.bin

C. symapi_db.bin

D. symapi_licenses.dat

Correct Answer: C