

E20-597^{Q&As}

NetWorker Specialist Exam for Storage Administrators

Pass EMC E20-597 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/e20-597.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

For EMC NetWorker to communicate to DMZ Clients, what port or ports are required for rpcbind (portmapper) to be running and available through the firewall?

- A. 7938
- B. 7937 and 7938
- C. 7937-9936
- D. 0-0

Correct Answer: A

QUESTION 2

An administrator added several new LDAP user accounts for backup configuration and monitoring tasks. The LDAP users have been authenticated in NetWorker Management Console (NMC).

What must be done so that these tasks can be performed on the Dell EMC NetWorker server?

- A. Add the user accounts to the `Users\` user group on the NMC server
- B. Add the user accounts to the `External roles\` field of the user groups on the NetWorker server
- C. Add the user accounts to the `Users\` field of the Security Administrators group on the NetWorker server
- D. Add the user accounts to the `Registrations\` resource on the NMC server


Correct Answer: A

QUESTION 3

A Dell EMC NetWorker Administrator is configuring a traditional backup workflow for a set of clients. What is a valid actions sequence?

- A. Probe, Check Connectivity, and Backup Traditional
- B. Check Connectivity, Backup Traditional, and Probe
- C. Probe, Check Connectivity, and Clone
- D. Check Connectivity, Probe, and Backup Traditional

Correct Answer: D



QUESTION 4

Which role is performed by an EMC NetWorker storage node?

- A. Reads the data device during recovery
- B. Generates backups
- C. Executes the save command
- D. Performs recoveries

Correct Answer: A

QUESTION 5

What is a characteristic of the EMC NetWorker Block Based Backup for Windows feature?

- A. Reboot is required before an incremental backup can be performed
- B. Full and incremental backups must be on different devices
- C. No more than 25 incremental backups can be created between full backups
- D. Backup storage must be a deduplication device

Correct Answer: A

[E20-597 PDF Dumps](#)

[E20-597 VCE Dumps](#)

[E20-597 Braindumps](#)