

E20-690^{Q&As}

VNX Solutions Specialist Exam for Platform Engineers

Pass EMC E20-690 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/e20-690.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which operations can you perform with VNX Installation Assistant?

- A. Create RAID groups, storage groups, and LUNs
- B. Configure LUN masking for non-VNX host access
- C. Configure SnapSure and replication
- D. Configure MirrorView and SnapView

Correct Answer: A

QUESTION 2

Which optional I/O modules for VNX Block provide two cable connections used exclusively for host access?

- A. The 2-port 8 Gb FC I/O module and the 2-port 10 GbE FCoE I/O module.
- B. The 4-port 8 Gb FC I/O module and the 4-port 10 GbE FCoE I/O module.
- C. The 2-port 10 GbE iSCSI I/O module and the 2-port 10 GbE FCoE I/O module.
- D. The 2-port 8 Gb FC I/O module and the 4-port 10 GbE FCoE I/O module.

Correct Answer: C

QUESTION 3

You are adding two DAEs: one 15-drive and one 25-drive. What are the advantages of cabling the additional DAEs so that one is added to SAS 0 and one is added to SAS 1?

- A. DAE 1 and DAE 2 are load-balanced across the SAS 0 and SAS 1 ports on each SP for improved performance.
- B. There are no specific advantages, since both SAS 0 and SAS 1 ports are connected to the same internal SP bus.
- C. The 15- and 25-drive DAEs must reside on different SAS buses to preserve future expansion options.
- D. The 25-drive DAE 2 should be connected to SAS 0 along with the DPE drives to support EFD options.

Correct Answer: A

QUESTION 4

What IP address is assigned to the eth2 interface on a Control Station?

- A. IP address for the B management network

- B. IP address for the A management network
- C. Public IP address for the customer's network
- D. IP address for the peer Control Station

Correct Answer: A

QUESTION 5

You want to verify that a storage array is configured as a Unified, File or Block. Where can the storage type be determined?

- A. Dashboard window in Unisphere
- B. Login screen of Unisphere
- C. Title bar of the browser after logging into Unisphere
- D. Certificate screen in Unisphere

Correct Answer: A

[Latest E20-690 Dumps](#)

[E20-690 Practice Test](#)

[E20-690 Study Guide](#)