

E20-880^{Q&As}

VNX Solutions Expert Exam for Technology Architects

Pass EMC E20-880 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/e20-880.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by EMC Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Your customer is migrating from a VNX to a VNX with MCx. Based on their workload, 16 KB constant prefetch sizes were configured on the VNX to improve performance. The customer wants to implement the same configuration on the VNX with MCx.

What is the smallest prefetch size on VNX with MCx?

A. 64 KB

B. 8 KB

C. 16 KB

D. 32 KB

Correct Answer: A

QUESTION 2

You received a call from a customer asking to help troubleshoot why they cannot select dvols using MVM from their remaining pool LUNS to create a stripe volume.

What could be a reason for this?

- A. All Thick LUNs must be used first
- B. All Thin LUNs must be used first
- C. LUNs must not exceed 18 TB in size
- D. LUNs must be on the same SP

Correct Answer: A

QUESTION 3

As a result of suffering a catastrophic failure, your customer has requested a DR solution. The solution must introduce a higher level of availability for their Exchange 2010 system. The customer wants a strategy that involves Replication Manager and DAG with third-party replication enabled.

In what state(s) of the database would the replication occur?

- A. Active only
- B. Either active or passive
- C. Passive only
- D. Neither active nor passive



Correct Answer: A

QUESTION 4

A customer is migrating an application to a virtualized environment. After the implementation is completed they realize that performance is below their expectations.

You are tasked to investigate and recommend an economical solution. Using VMware Tools and Analyzer on the VNX, you conclude that their application servers are experiencing CPU over- utilization and storage connection congestion.

What should be your first recommendation?

- A. Ensure that VMware Paravirtual SCSI virtual adapter is configured
- B. Move application to faster drives
- C. Increase memory
- D. Enable compression on the LUN

Correct Answer: A

QUESTION 5

What is the maximum combined host target queue depth that can be accepted on a VNX SP port before a QFULL condition occurs?

- A. 1599
- B. 2047
- C. 1023
- D. 1199

Correct Answer: A

Latest E20-880 Dumps

E20-880 PDF Dumps

E20-880 Exam Questions