

E20-895^{Q&As}

Backup Recovery - Avamar Expert Exam for Implementation Engineers

Pass EMC E20-895 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/e20-895.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

An Oracle client is performing backups to a Dell EMC Data Domain through Dell EMC Avamar. It performs full backups once a week and incrementals on all other days. An administrator adds a second Data Domain to the Avamar and directs the Oracle backups to it.

What must be done for backups to run as expected?

- A. First backup to the new Data Domain must be a full
- B. Client must be re-registered to the new Data Domain
- C. Full backups must be migrated to the new Data Domain
- D. Old Data Domain must be retired

Correct Answer: A

Reference: <https://www.emc.com/collateral/TechnicalDocument/docu89851.pdf> (23)

QUESTION 2

What is the maximum number of Instant supported at one time in Dell EMC Avamar 7.4.1?

- A. 1
- B. 8
- C. 16
- D. 32

Correct Answer: A

QUESTION 3

An EMC Avamar customer is currently using a 2 TB Avamar Virtual Edition (AVE) for their backup environment. They want to begin backing up several Oracle databases and file servers running on a new ESX server. It is determined that a separate AVE should be added to the backup environment for these new backups.

What should be done when implementing the new configuration?

- A. Install the new AVE on a different ESX server from the first AVE
- B. Use thin provisioning to create the new AVE
- C. Run benchmark tests for acceptable TCP/IP performance
- D. Use RAID 6 for the physical disk storing the new virtual disk

Correct Answer: A

QUESTION 4

An Avamar 7.0 file system client is running on limited RAM. The backup administrator notices that the client RAM is paging during its daily backups. Currently, the client is using default settings. Which avtar flag can be adjusted to reduce the RAM used?

- A. Decrease the value of --cache-max-pages-resident.
- B. Increase the value of --cache-page-size.
- C. Decrease the value of --filecachemax.
- D. Increase the value of --cache-musthave-threshold.

Correct Answer: A

QUESTION 5

An EMC employee has been assigned to run `securedetele` against two clients for a total of 20 GBs on an Avamar server. During a planning discussion with the customer, they want to know what the impact on their Avamar server would be

while `securedetele` is running.

What is the correct response to the customer?

- A. GSAN will be in admin mode and the Avamar server will be read only
- B. Avamar will continue to function with a limited amount of available threads
- C. GSAN will be shut down during the extent of the `securedetele` task
- D. Avamar will continue to function without any limitations

Correct Answer: A

[E20-895 PDF Dumps](#)

[E20-895 Practice Test](#)

[E20-895 Exam Questions](#)