

HH0-450^{Q&As}

Hitachi Data Systems Storage Architect-Hitachi NAS Platform

Pass Hitachi HH0-450 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hh0-450.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

You are planning a data migration from a distributed Windows file server environment to a Hitachi NAS platform. You have discovered that some of the applications use hard-coded IP addresses. You have also identified that login scripts are used to map network drives for the end users. Which two methods can you use to minimize impact during the migration? (Choose two.)

- A. Modify the login scripts to point to the new location regardless of host name or IP address.
- B. Use CNAME records to preserve the IP addresses for hard-coded applications.
- C. Use the same IP addresses on the EVSs as the original server for applications.
- D. Use CNS to present a unified namespace and transparently migrate the applications.

Correct Answer: AC

QUESTION 2

A customer has a Hitachi NAS Platform 3100 cluster dual fabric attached to a Hitachi AMS 2000 Family storage system in a fault tolerant configuration containing multiple EVSs.. What would cause all of the EVSs to fail?

- A. The preferred SD path fails.
- B. An AMS controller fails.
- C. The SIM blade fails.
- D. A SAN switch fails.

Correct Answer: C

QUESTION 3

You have enabled file system auditing on a Hitachi NAS Platform. Which protocol is now allowed to both access the file system and provide logging information to the file system?

- A. CIFS
- B. NFSv3
- C. FTP
- D. HTTP

Correct Answer: A

QUESTION 4

Which three statements describe the de-migration process of Data Migrator on a Hitachi NAS Platform? (Choose three.)

- A. The entire directory tree is migrated as a single instance.
- B. The use of wildcard characters is permitted.
- C. Reverse migration cannot be canceled once initiated.
- D. An event will be raised when a file has been reverse-migrated.
- E. Reverse migration is a background process.

Correct Answer: BDE

QUESTION 5

A company that provides on-demand movies for Internet users would like to use a 2-node Hitachi NAS Platform to store and play movies. They want redundancy for their two network switches. They have 60 internal servers that will access the nodes. They would like to aggregate interfaces to achieve 5 Gb/s per node. Finally, they will need to access multiple subnets over a single interface. Which three network technologies should be enabled to meet these needs? (Choose three.)

- A. Link Aggregation Control protocol (LACP)
- B. half duplex
- C. LAG
- D. WebDAV
- E. 802.1Q

Correct Answer: ACE

[HH0-450 VCE Dumps](#)

[HH0-450 Practice Test](#)

[HH0-450 Braindumps](#)