

HH0-450^{Q&As}

Hitachi Data Systems Storage Architect-Hitachi NAS Platform

Pass Hitachi HH0-450 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hh0-450.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

A customer would like to implement a 2-node Hitachi NAS Platform 3080 cluster using a Hitachi AMS2100 storage system. The AMS2100 is shared with other Open Systems platforms. Ports 0B and 1B are the only ports available in the AMS2100. Hport 1 and 3 are the only ports available on the Hitachi NAS Platform nodes. Which two wiring and zoning configurations should be used? (Choose two.)

- A. Hport 1 of both nodes, and AMS port 0B must be connected to switch 1 and could be in the same zone.
- B. Hport 1 and 3 of node 1, and AMS port 0B must be connected to switch 1 and could be in the same zone.
- C. Hport 3 of both nodes, and AMS port 1B must be connected to switch 2 and could be in the same zone.
- D. Hport 1 and 3 of node 2, and AMS port 1B must be connected to switch 2 and could be in the same zone.

Correct Answer: AC

QUESTION 2

A customer is planning to use anti-virus scanning on their Hitachi NAS platform. What are three relevant performance considerations? (Choose three.)

- A. the number of anti-virus scanning servers
- B. the processing power of the hardware platform used as an anti-virus scanning server
- C. the bandwidth between the anti-virus scanning servers and the Hitachi NAS platform
- D. using the SMB protocol for anti-virus scanning instead of the RPC protocol
- E. dedicating an EVS for global anti-virus scanning on each cluster node

Correct Answer: ABC

QUESTION 3

Your customer wants to join up to nine different untrusted domains in their Windows Active Directory environment. Which two statements apply to EVS security? (Choose two.)

- A. An EVS security license will be required.
- B. Only eight different untrusted domains are supported.
- C. Every EVS will be able to join a different untrusted domain.
- D. One EVS will be able to join two different untrusted domains.

Correct Answer: AC

QUESTION 4

A customer has 28 independent file servers with various amounts of data on each server and they would like to consolidate with a Hitachi NAS Platform. Which three factors must be considered prior to the consolidation? (Choose three.)

- A. number of concurrent users
- B. type of applications and specific purpose of each application server
- C. server BIOS version
- D. number of mount points and shares
- E. number of concurrent HTTP instances

Correct Answer: ABD

QUESTION 5

A customer is planning to implement active-active synchronous MetroCluster with a Hitachi NAS Platform across two sites. What is the maximum supported distance?

- A. 10 km
- B. 25 km
- C. 62 km
- D. 100 km

Correct Answer: D

[Latest HH0-450 Dumps](#)

[HH0-450 PDF Dumps](#)

[HH0-450 Study Guide](#)