

HP0-J67^{Q&As}

Architecting Multi-site HP Storage Solutions

Pass HP HP0-J67 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hp0-j67.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

You are reviewing a colleague's extended fabric design, which proposes an HP 1606 Extension SAN Switch.

Which customer requirement should lead you to choose an HP Multi-protocol Router Blade for the B-Series as an alternative?

- A. Requirement to extend the fabric between sites
- B. Concerns around fabric stability
- C. Requirement to support dark fiber metro connectivity
- D. Need for up to 10 Gbs replication bandwidth

Correct Answer: A

QUESTION 2

A NetBackup customer needs to improve the RTO after a disaster is declared at the primary data center. They have failed several disaster recovery audits because of extended recovery times. You recommend that they replace tape library with an HP StoreOnce Backup System that replicates the primary data center backups to the remote site.

Which device interface provides the lowest RTO?

- A. HP StoreOnce NAS
- B. HP StoreOnce Catalyst
- C. HP StoreOnce VTL iSCSI
- D. HP StoreOnce VTL FC

Correct Answer: D

QUESTION 3

Your customer has an existing HP LeftHand P4500 SAN with four nodes. They have deployed the array to feed latency-sensitive high-definition video traffic to their student population around the campus. The array complies to HP best practices and has a physically dedicated iSCSI network comprising of two 1Gb HP ProCurve 2920 Switches. Jumbo frames are enabled.

The customer asks you to investigate reported performance issues. Which quick-fix solution should you suggest before running in-depth performance analysis?

- A. Upgrade each switch with two additional 10G SFP+
- B. Add more nodes to the cluster to improve the I/O latency
- C. Upgrade firmware on HP ProCurve 2920 switches.

D. Disable Jumbo frames in the network switches

Correct Answer: C

Look! HD video over the campus for students. do you think 1GB ISL enough? i think A is more suitable but the first action is FW upgrade also check the document c03874530

QUESTION 4

A customer has outgrown the internal tape drive on their media server. You recommend eliminating tape and leveraging an HP StoreOnce solution that enables replication if the customer media server uses 10GbE network connections, what is the smallest HP StoreOnce solution you can recommend?

- A. HP StoreOnce 4210iSCSI Backup System
- B. HP StoreOnce 4220 Backup System
- C. HP StoreOnce 4420 Backup System
- D. HP StoreOnce 4210fc Backup System

Correct Answer: C

Architecting Multi-site HP Storage Solutions Student Guide - Search, pag 265.

QUESTION 5

In addition to being able to wide-stripe data over many physical disks, what is another unique feature of an HP 3PAR StoreServ compared to competitor block- based arrays?

- A. Custom ASIC-enabled Thin Provisioning
- B. Asynchronous remote replication
- C. Controller functions based on a software implementation of RAID
- D. Block storage functions facilitated by software emulation

Correct Answer: A

Hardware-assisted HP 3PAR Thin Technologies enable customers to reduce capacity requirements by 50 percent." in HP 3PAR Battlecards

[Latest HP0-J67 Dumps](#)

[HP0-J67 VCE Dumps](#)

[HP0-J67 Exam Questions](#)