

HP0-P24^{Q&As}

HP-UX 11iv3 System Administration

Pass HP HP0-P24 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hp0-p24.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which ioscan command displays the Extensible Firmware Interface (EFI) device paths when available?

- A. ioscan -kfC
- B. ioscan --m
- C. ioscan -- k
- D. ioscan --e

Correct Answer: D

QUESTION 2

A system administrator is running `swinstal s /tmp/example.depot /*`. Which condition must be met to successfully run this command?

- A. The system must be in the single-user run level
- B. AH file systems listed in `/etc/fstab` must be mounted
- C. The example depot must be registered
- D. All previous versions, if any, must be removed.

Correct Answer: D

QUESTION 3

What are some advantages of using Integrity Virtual Machines compared to other partitioning methodologies? (Select two)

- A. VMs support Linux
- B. VMs provide software fault tolerance.
- C. VMs support Windows
- D. VMs can be moved online between physical servers
- E. VMs provide hardware fault tolerance

Correct Answer: AC

QUESTION 4

Stephanie in accounting and Chuck in marketing need access to the same directory named `acct_analysis`. Stephanie is

in a group named acct while Chuck is in a group named mktg. The information for the directory is as follows:

```
drwxrwx-- 2 stephanie acct 96 Jun 27 09:16 acct_analysis/
```

Which statements are true about this scenario? (Select two)

- A. Chuck already has access to the directory
- B. The directory is world readable
- C. Chuck needs to be added to the acct group to gain access to the directory
- D. The directory is writeable by the mktg group
- E. Stephanie is the owner of the directory

Correct Answer: AE

QUESTION 5

If a user runs the kill command on a PID, which signal is sent to the process by default?

- A. SIGSTOP
- B. S1GTERM
- C. SIGHUP
- D. SIGKILL

Correct Answer: B