

# HP2-T16<sup>Q&As</sup>

Industry Standard Architecture and Technology

**Pass HP HP2-T16 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/hp2-t16.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

How many independent parity schemes are utilized for a RAID 6 array?

- A. 1
- B. 2
- C. 4
- D. 6

Correct Answer: B

{\rtf1\ansi\ansicpg936\deff0\deflang1033\deflangfe2052{\fonttbl{\f0\fnil\charset0 MS Shell Dlg 2;}}\viewkind4\uc1\pard\lang2052\f0\fs17 Industry Standard Architecture - Student Guide 1 - Page 262:\par RAID 6 performance\par RAID 6 employs two independent parity schemes. Two sets of parities must be modified for each logical write operation, which requires six physical transfers---three reads and three writes.\par }

---

### QUESTION 2

Which Linux tool measures system activity information and provides statistics over a specified period of time?

- A. iostat
- B. netstat
- C. sar
- D. top

Correct Answer: C

{\rtf1\ansi\ansicpg936\deff0\deflang1033\deflangfe2052{\fonttbl{\f0\fnil\charset0 MS Shell Dlg 2;}}\viewkind4\uc1\pard\lang2052\f0\fs17 Industry Standard Architecture - Student Guide 2 - Page 219\par sar ---Measures system activity information and compiles cumulative statistics over a specified period of time. \par }

---

### QUESTION 3

In systems with AMD processors, what allows communication between processors and the I/O subsystem?

- A. Northbridge
- B. Southbridge
- C. HyperTransport link
- D. APIC
- E. QuickPath Interconnect

Correct Answer: C

{\rtf1\ansi\ansicpg936\deff0\deflang1033\deflangfe2052{\fonttbl{\f0\fnil\fcharset0 MS Shell Dlg 2;}}\viewkind4\uc1\pard\lang2052\f0\fs17 Industry Standard Architecture - Student Guide 1 - Page 37\par AMD processors are able to communicate with each other through HyperTransport point-to-point links. This enables one processor to access the memory connected to another processor. Inside the processor, a crossbar switch connects the processor, memory controller, and HyperTransport links.\par AMD processors also use HyperTransport links to connect to the I/O subsystem.\par The links on particular processors are connected to I/O tunnels that support the I/O devices.\par All other processors can communicate with the I/O system through the HyperTransport links.\par Legacy devices are also connected to one of the I/O tunnels.\par }

---

#### QUESTION 4

A customer is using the GFS backup rotation plan with the weekly backups occurring Friday evening. The customer needs to restore a file that was known to be good on Friday morning. From which backup should the customer restore?

- A. Father
- B. Differential
- C. Grandfather
- D. Son

Correct Answer: D

{\rtf1\ansi\ansicpg936\deff0\deflang1033\deflangfe2052{\fonttbl{\f0\fnil\fcharset0 MS Shell Dlg 2;}}\viewkind4\uc1\pard\lang2052\f0\fs17 Industry Standard Architecture - Student Guide 2 - Page 302:\par Grandfather-Father-Son tape rotation \par The system administrator typically performs a full backup every Monday (father) and incremental backups on Tuesdays, Wednesdays, and Thursdays (sons). The administrator performs another full backup at the end of the week (father) and another at the end of the month (grandfather).\par }

---

#### QUESTION 5

What is the most commonly used measurement unit for describing a UPS?

- A. kW
- B. VA
- C. Amps
- D. kJ

Correct Answer: B

{\rtf1\ansi\ansicpg936\deff0\deflang1033\deflangfe2052{\fonttbl{\f0\fnil\fcharset0 MS Shell Dlg 2;}}\viewkind4\uc1\pard\lang2052\f0\fs17 Industry Standard Architecture - Student Guide 2 - Page 187\par An uninterruptible power supply (UPS) system provides power to the server in case of loss of electrical power from the main building power. The UPS is rated in volt-amps (VA) which is the total power it can handle and the time it can run the server, usually the time required for the operating system to close all running applications, gracefully shut itself down, and turn off the server.\par }

---

[Latest HP2-T16 Dumps](#)

[HP2-T16 PDF Dumps](#)

[HP2-T16 Study Guide](#)