



# JK0-018<sup>Q&As</sup>

CompTIA Security+ E2C (2011 Edition)

## Pass CompTIA JK0-018 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4lead.com/JK0-018.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CompTIA  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers






### QUESTION 1

The security administrator has installed a new firewall which implements an implicit DENY policy by default. Click on the firewall and configure it to allow ONLY the following communication.

1. The Accounting workstation can ONLY access the web server on the public network over the default HTTPS port. The accounting workstation should not access other networks.
2. The HR workstation should be restricted to communicate with the Financial server ONLY, over the default SCP port.
3. The Admin workstation should ONLY be able to access the servers on the secure network over the default TFTP port.

Instructions: The firewall will process the rules in a top-down manner in order as a first match. The port number must be typed in and only one port number can be entered per rule. Type ANY for all ports. The original firewall configuration can be reset at any time by pressing the reset button. Once you have met the simulation requirements, click save and then Done to submit.



Hot Area:



Firewall Rules					
Rule #	Source	Destination	Port (Only One Per Rule)	Protocol	Action
1	<ul style="list-style-type: none"> <li>192.168.10.2/32</li> <li>192.168.10.3/32</li> <li>192.168.10.4/32</li> <li>192.168.10.5/32</li> <li>10.10.9.12/32</li> <li>10.10.9.14/32</li> <li>10.10.9.18/32</li> </ul>	<ul style="list-style-type: none"> <li>Any</li> <li>192.168.10.2/32</li> <li>192.168.10.3/32</li> <li>192.168.10.4/32</li> <li>192.168.10.5/32</li> <li>192.168.100.10/32</li> <li>192.168.100.18/32</li> </ul>	<ul style="list-style-type: none"> <li>443</li> <li>22</li> <li>69</li> </ul>	<ul style="list-style-type: none"> <li>ANY</li> <li>TCP</li> <li>UDP</li> </ul>	<ul style="list-style-type: none"> <li>Permit</li> <li>Deny</li> </ul>
2	<ul style="list-style-type: none"> <li>192.168.10.2/32</li> <li>192.168.10.3/32</li> <li>192.168.10.4/32</li> <li>192.168.10.5/32</li> <li>10.10.9.12/32</li> <li>10.10.9.14/32</li> <li>10.10.9.18/32</li> </ul>	<ul style="list-style-type: none"> <li>Any</li> <li>192.168.10.2/32</li> <li>192.168.10.3/32</li> <li>192.168.10.4/32</li> <li>192.168.10.5/32</li> <li>192.168.100.10/32</li> <li>192.168.100.18/32</li> </ul>	<ul style="list-style-type: none"> <li>443</li> <li>22</li> <li>69</li> </ul>	<ul style="list-style-type: none"> <li>ANY</li> <li>TCP</li> <li>UDP</li> </ul>	<ul style="list-style-type: none"> <li>Permit</li> <li>Deny</li> </ul>
3	<ul style="list-style-type: none"> <li>192.168.10.2/32</li> <li>192.168.10.3/32</li> <li>192.168.10.4/32</li> <li>192.168.10.5/32</li> <li>10.10.9.12/32</li> <li>10.10.9.14/32</li> <li>10.10.9.18/32</li> </ul>	<ul style="list-style-type: none"> <li>Any</li> <li>192.168.10.2/32</li> <li>192.168.10.3/32</li> <li>192.168.10.4/32</li> <li>192.168.10.5/32</li> <li>192.168.100.10/32</li> <li>192.168.100.18/32</li> </ul>	<ul style="list-style-type: none"> <li>443</li> <li>22</li> <li>69</li> </ul>	<ul style="list-style-type: none"> <li>ANY</li> <li>TCP</li> <li>UDP</li> </ul>	<ul style="list-style-type: none"> <li>Permit</li> <li>Deny</li> </ul>
4	<ul style="list-style-type: none"> <li>192.168.10.2/32</li> <li>192.168.10.3/32</li> <li>192.168.10.4/32</li> <li>192.168.10.5/32</li> <li>10.10.9.12/32</li> <li>10.10.9.14/32</li> <li>10.10.9.18/32</li> </ul>	<ul style="list-style-type: none"> <li>Any</li> <li>192.168.10.2/32</li> <li>192.168.10.3/32</li> <li>192.168.10.4/32</li> <li>192.168.10.5/32</li> <li>192.168.100.10/32</li> <li>192.168.100.18/32</li> </ul>	<ul style="list-style-type: none"> <li>443</li> <li>22</li> <li>69</li> </ul>	<ul style="list-style-type: none"> <li>ANY</li> <li>TCP</li> <li>UDP</li> </ul>	<ul style="list-style-type: none"> <li>Permit</li> <li>Deny</li> </ul>

Correct Answer:



Firewall Rules					
Rule #	Source	Destination	Port (Only One Per Rule)	Protocol	Action
1	<ul style="list-style-type: none"> <li>192.168.10.2/32</li> <li>192.168.10.3/32</li> <li>192.168.10.4/32</li> <li>192.168.10.5/32</li> <li>10.10.9.12/32</li> <li>10.10.9.14/32</li> <li>10.10.9.18/32</li> </ul>	<ul style="list-style-type: none"> <li>Any</li> <li>192.168.10.2/32</li> <li>192.168.10.3/32</li> <li>192.168.10.4/32</li> <li>192.168.10.5/32</li> <li>192.168.100.10/32</li> <li>192.168.100.18/32</li> </ul>	<ul style="list-style-type: none"> <li>443</li> <li>22</li> <li>69</li> </ul>	<ul style="list-style-type: none"> <li>ANY</li> <li>TCP</li> <li>UDP</li> </ul>	<ul style="list-style-type: none"> <li>Permit</li> <li>Deny</li> </ul>
2	<ul style="list-style-type: none"> <li>192.168.10.2/32</li> <li>192.168.10.3/32</li> <li>192.168.10.4/32</li> <li>192.168.10.5/32</li> <li>10.10.9.12/32</li> <li>10.10.9.14/32</li> <li>10.10.9.18/32</li> </ul>	<ul style="list-style-type: none"> <li>Any</li> <li>192.168.10.2/32</li> <li>192.168.10.3/32</li> <li>192.168.10.4/32</li> <li>192.168.10.5/32</li> <li>192.168.100.10/32</li> <li>192.168.100.18/32</li> </ul>	<ul style="list-style-type: none"> <li>443</li> <li>22</li> <li>69</li> </ul>	<ul style="list-style-type: none"> <li>ANY</li> <li>TCP</li> <li>UDP</li> </ul>	<ul style="list-style-type: none"> <li>Permit</li> <li>Deny</li> </ul>
3	<ul style="list-style-type: none"> <li>192.168.10.2/32</li> <li>192.168.10.3/32</li> <li>192.168.10.4/32</li> <li>192.168.10.5/32</li> <li>10.10.9.12/32</li> <li>10.10.9.14/32</li> <li>10.10.9.18/32</li> </ul>	<ul style="list-style-type: none"> <li>Any</li> <li>192.168.10.2/32</li> <li>192.168.10.3/32</li> <li>192.168.10.4/32</li> <li>192.168.10.5/32</li> <li>192.168.100.10/32</li> <li>192.168.100.18/32</li> </ul>	<ul style="list-style-type: none"> <li>443</li> <li>22</li> <li>69</li> </ul>	<ul style="list-style-type: none"> <li>ANY</li> <li>TCP</li> <li>UDP</li> </ul>	<ul style="list-style-type: none"> <li>Permit</li> <li>Deny</li> </ul>
4	<ul style="list-style-type: none"> <li>192.168.10.2/32</li> <li>192.168.10.3/32</li> <li>192.168.10.4/32</li> <li>192.168.10.5/32</li> <li>10.10.9.12/32</li> <li>10.10.9.14/32</li> <li>10.10.9.18/32</li> </ul>	<ul style="list-style-type: none"> <li>Any</li> <li>192.168.10.2/32</li> <li>192.168.10.3/32</li> <li>192.168.10.4/32</li> <li>192.168.10.5/32</li> <li>192.168.100.10/32</li> <li>192.168.100.18/32</li> </ul>	<ul style="list-style-type: none"> <li>443</li> <li>22</li> <li>69</li> </ul>	<ul style="list-style-type: none"> <li>ANY</li> <li>TCP</li> <li>UDP</li> </ul>	<ul style="list-style-type: none"> <li>Permit</li> <li>Deny</li> </ul>



**QUESTION 2**

Select the appropriate attack from each drop down list to label the corresponding illustrated attack.











Instructions: Attacks may only be used once, and will disappear from drop down list if selected. When you have completed the simulation, please select the Done button to submit.

Hot Area:

Question  
Show

### Attacks

**Instructions: Attacks may only be used once, and will disappear from drop down list if selected. When you have completed the simulation, please select the Done button to submit.**

Attack Vector	Target	Identified Attack
 <p>Attacker gains confidential company information</p>	 <p>Targeted CEO and board members</p>	<div style="border: 1px solid gray; padding: 5px;"> <input type="text" value="SPEAR PUSHING"/>  <input type="text" value="HOAX"/>  <input type="text" value="VISHING"/>  <input type="text" value="PHISHING"/>  <input type="text" value="PHARMING"/> </div>
 <p>Attacker posts link to fake AV software</p>	 <p>Multiple social networks</p>	<div style="border: 1px solid gray; padding: 5px;"> <input type="text" value="SPEAR PUSHING"/>  <input type="text" value="HOAX"/>  <input type="text" value="VISHING"/>  <input type="text" value="PHISHING"/>  <input type="text" value="PHARMING"/> </div>
 <p>Attacker collecting credit card details</p>	 <p>Phone-based victim</p>	<div style="border: 1px solid gray; padding: 5px;"> <input type="text" value="SPEAR PUSHING"/>  <input type="text" value="HOAX"/>  <input type="text" value="VISHING"/>  <input type="text" value="PHISHING"/>  <input type="text" value="PHARMING"/> </div>
 <p>Attacker mass-mails product information to parties that have already opted out of receiving advertisements</p>	 <p>Broad set of recipients</p>	<div style="border: 1px solid gray; padding: 5px;"> <input type="text" value="SPEAR PUSHING"/>  <input type="text" value="HOAX"/>  <input type="text" value="VISHING"/>  <input type="text" value="PHISHING"/>  <input type="text" value="PHARMING"/> </div>
 <p>Attacker redirects name resolution entries from legitimate site to fraudulent site</p>	 <p>Victims</p>	<div style="border: 1px solid gray; padding: 5px;"> <input type="text" value="SPEAR PUSHING"/>  <input type="text" value="HOAX"/>  <input type="text" value="VISHING"/>  <input type="text" value="PHISHING"/>  <input type="text" value="PHARMING"/> </div>











Correct Answer:



Question  
Show

### Attacks

**Instructions: Attacks may only be used once, and will disappear from drop down list if selected. When you have completed the simulation, please select the Done button to submit.**

Attack Vector	Target	Identified Attack
 <p>Attacker gains confidential company information</p>	 <p>Targeted CEO and board members</p>	<input type="text" value="SPEAR PUSHING"/> <input type="text" value="HOAX"/> <input type="text" value="VISHING"/> <input type="text" value="PHISHING"/> <input type="text" value="PHARMING"/>
 <p>Attacker posts link to fake AV software</p>	 <p>Broad set of victims</p>	<input type="text" value="SPEAR PUSHING"/> <input type="text" value="HOAX"/> <input type="text" value="VISHING"/> <input type="text" value="PHISHING"/> <input type="text" value="PHARMING"/>
 <p>Attacker collecting credit card details</p>	 <p>Phone-based victim</p>	<input type="text" value="SPEAR PUSHING"/> <input type="text" value="HOAX"/> <input type="text" value="VISHING"/> <input type="text" value="PHISHING"/> <input type="text" value="PHARMING"/>
 <p>Attacker mass-mails product information to parties that have already opted out of receiving advertisements</p>	 <p>Broad set of recipients</p>	<input type="text" value="SPEAR PUSHING"/> <input type="text" value="HOAX"/> <input type="text" value="VISHING"/> <input type="text" value="PHISHING"/> <input type="text" value="PHARMING"/>
 <p>Attacker redirects name resolution entries from legitimate site to fraudulent site</p>	 <p> <input type="text" value="Fraudulent site"/>  <input type="text" value="Legitimate site"/>            Victims         </p>	<input type="text" value="SPEAR PUSHING"/> <input type="text" value="HOAX"/> <input type="text" value="VISHING"/> <input type="text" value="PHISHING"/> <input type="text" value="PHARMING"/>

### QUESTION 3

For each of the given items, select the appropriate authentication category from the drop down choices. Select the appropriate authentication type for the following items:

Hot Area:



Item	Response
Fingerprint scan	<ul style="list-style-type: none"><li>Biometric authentication</li><li>One Time Password</li><li>Multi-factor</li><li>PAP authentication</li><li>PAP authentication</li><li>Biometric authentication</li></ul>
Hardware token	<ul style="list-style-type: none"><li>Biometric authentication</li><li>One Time Password</li><li>Multi-factor</li><li>PAP authentication</li><li>PAP authentication</li><li>Biometric authentication</li></ul>
Smart card	<ul style="list-style-type: none"><li>Biometric authentication</li><li>One Time Password</li><li>Multi-factor</li><li>PAP authentication</li><li>PAP authentication</li><li>Biometric authentication</li></ul>
Password	<ul style="list-style-type: none"><li>Biometric authentication</li><li>One Time Password</li><li>Multi-factor</li><li>PAP authentication</li><li>PAP authentication</li><li>Biometric authentication</li></ul>
PIN number	<ul style="list-style-type: none"><li>Biometric authentication</li><li>One Time Password</li><li>Multi-factor</li><li>PAP authentication</li><li>PAP authentication</li><li>Biometric authentication</li></ul>
Retina Scan	<ul style="list-style-type: none"><li>Biometric authentication</li><li>One Time Password</li><li>Multi-factor</li><li>PAP authentication</li><li>PAP authentication</li><li>Biometric authentication</li></ul>

www.Pass4Lead.com



VCE & PDF

Pass4Lead.com

<https://www.pass4lead.com/JK0-018.html>

2022 Latest pass4lead JK0-018 PDF and VCE dumps Download

---

Correct Answer:





Item	Response
Fingerprint scan	<ul style="list-style-type: none"><li>Biometric authentication</li><li>One Time Password</li><li>Multi-factor</li><li>PAP authentication</li><li>PAP authentication</li><li>Biometric authentication</li></ul>
Hardware token	<ul style="list-style-type: none"><li>Biometric authentication</li><li>One Time Password</li><li>Multi-factor</li><li>PAP authentication</li><li>PAP authentication</li><li>Biometric authentication</li></ul>
Smart card	<ul style="list-style-type: none"><li>Biometric authentication</li><li>One Time Password</li><li>Multi-factor</li><li>PAP authentication</li><li>PAP authentication</li><li>Biometric authentication</li></ul>
Password	<ul style="list-style-type: none"><li>Biometric authentication</li><li>One Time Password</li><li>Multi-factor</li><li>PAP authentication</li><li>PAP authentication</li><li>Biometric authentication</li></ul>
PIN number	<ul style="list-style-type: none"><li>Biometric authentication</li><li>One Time Password</li><li>Multi-factor</li><li>PAP authentication</li><li>PAP authentication</li><li>Biometric authentication</li></ul>
Retina Scan	<ul style="list-style-type: none"><li>Biometric authentication</li><li>One Time Password</li><li>Multi-factor</li><li>PAP authentication</li><li>PAP authentication</li><li>Biometric authentication</li></ul>



**QUESTION 4**

You are the security administrator. You need to determine the types of security. Drag the items “Types of Security” to appropriate Security devices.

Select and Place:

Types of Security

1. GPS Tracking
2. Mantrap
3. Remote wipe
4. Strong Passwords
5. Cable lock
6. Biometrics
7. Proximity Badges
8. FM-200
9. HVAC
10. Device Encryption
11. Antivirus



Task: Drag the items on the left to show the different types of security for the shown devices. Not all fields need to be filled. Not all items need to be used.

Mobile Device Security	Server in Data Center Security

Correct Answer:



### Types of Security

Task: Drag the items on the left to show the different types of security for the shown devices. Not all fields need to be filled. Not all items need to be used.



5. Cable lock

9. HVAC

11. Antivirus

Mobile Device Security	Server in Data Center Security
1. GPS Tracking	8. FM-200
3. Remote wipe	6. Biometrics
10. Device Encryption	7. Proximity Badges
4. Strong Passwords	2. Mantrap

### QUESTION 5

Determine the types of Attacks from right to specific action.

Select and Place:



### Types of attacks

Task: Determine the types of attacks below by selecting an option from the dropdown list.

	Email sent to multiple users to a link to verify username/password on external site		Choose Attack Type
	Phone calls made to CEO of organization asking for various financial data		Choose Attack Type
	Phone call is made to individual stating there was an IT issue, and asked for the user's password over the phone		Choose Attack Type
	You're on a social media site and an instant message pops up from a friend with a link to a new breakthrough diet		Choose Attack Type
	A friend/colleague asks you questions of a personal nature, which could be considered typical password reset questions.		Choose Attack Type

1. Phishing
2. Pharming
3. Vishing
4. Whaling
5. X-Mas
6. Spoofing
7. Hoax
8. Spam
9. Spim
10. Social Engineering

Correct Answer:



Types of attacks

Task: Determine the types of attacks below by selecting an option from the dropdown list.

	Email sent to multiple users to a link to verify username/password on external site		1. Phishing
	Phone calls made to CEO of organization asking for various financial data		4. Whaling
	Phone call is made to individual stating there was an IT issue, and asked for the user's password over the phone		3. Vishing
	You're on a social media site and an instant message pops up from a friend with a link to a new breakthrough diet		9. Spim
	A friend/colleague asks you questions of a personal nature, which could be considered typical password reset questions.		10. Social Engineering

2. Pharming

5. X-Mas

6. Spoofing

7. Hoax

8. Spam



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4lead.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4lead, All Rights Reserved.