



JK0-018^{Q&As}

CompTIA Security+ E2C (2011 Edition)

Pass CompTIA JK0-018 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4lead.com/JK0-018.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CompTIA
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Select the appropriate attack from each drop down list to label the corresponding illustrated attack.













Instructions: Attacks may only be used once, and will disappear from drop down list if selected. When you have completed the simulation, please select the Done button to submit.

Hot Area:

Question
Show

Attacks

Instructions: Attacks may only be used once, and will disappear from drop down list if selected. When you have completed the simulation, please select the Done button to submit.

Attack Vector	Target	Identified Attack
 <p>Attacker gains confidential company information</p>	 <p>Targeted CEO and board members</p>	<div style="border: 1px solid #ccc; padding: 5px;"> <input type="text" value="SPEAR PUSHING"/> <input type="text" value="HOAX"/> <input type="text" value="VISHING"/> <input type="text" value="PHISHING"/> <input type="text" value="PHARMING"/> </div>
 <p>Attacker posts link to fake AV software</p>	 <p>Multiple social networks</p>  <p>Broad set of victims</p>	<div style="border: 1px solid #ccc; padding: 5px;"> <input type="text" value="SPEAR PUSHING"/> <input type="text" value="HOAX"/> <input type="text" value="VISHING"/> <input type="text" value="PHISHING"/> <input type="text" value="PHARMING"/> </div>
 <p>Attacker collecting credit card details</p>	 <p>Phone-based victim</p>	<div style="border: 1px solid #ccc; padding: 5px;"> <input type="text" value="SPEAR PUSHING"/> <input type="text" value="HOAX"/> <input type="text" value="VISHING"/> <input type="text" value="PHISHING"/> <input type="text" value="PHARMING"/> </div>
 <p>Attacker mass-mails product information to parties that have already opted out of receiving advertisements</p>	 <p>Broad set of recipients</p> 	<div style="border: 1px solid #ccc; padding: 5px;"> <input type="text" value="SPEAR PUSHING"/> <input type="text" value="HOAX"/> <input type="text" value="VISHING"/> <input type="text" value="PHISHING"/> <input type="text" value="PHARMING"/> </div>
 <p>Attacker redirects name resolution entries from legitimate site to fraudulent site</p>	 <p>Victims</p> <div style="display: flex; gap: 10px;"> <div style="border: 1px solid #ccc; padding: 2px; color: red;">Fraudulent site</div> <div style="border: 1px solid #ccc; padding: 2px; color: green;">Legitimate site</div> </div>	<div style="border: 1px solid #ccc; padding: 5px;"> <input type="text" value="SPEAR PUSHING"/> <input type="text" value="HOAX"/> <input type="text" value="VISHING"/> <input type="text" value="PHISHING"/> <input type="text" value="PHARMING"/> </div>











Correct Answer:



Question
Show

Attacks

Instructions: Attacks may only be used once, and will disappear from drop down list if selected. When you have completed the simulation, please select the Done button to submit.

Attack Vector	Target	Identified Attack
 <p>Attacker gains confidential company information</p>	 <p>Targeted CEO and board members</p>	<ul style="list-style-type: none"> <input checked="" type="checkbox"/> SPEAR PUSHING <input type="checkbox"/> HOAX <input type="checkbox"/> VISHING <input type="checkbox"/> PHISHING <input type="checkbox"/> PHARMING
 <p>Attacker posts link to fake AV software</p>	 <p>Broad set of victims</p>	<ul style="list-style-type: none"> <input checked="" type="checkbox"/> SPEAR PUSHING <input checked="" type="checkbox"/> HOAX <input type="checkbox"/> VISHING <input type="checkbox"/> PHISHING <input type="checkbox"/> PHARMING
 <p>Attacker collecting credit card details</p>	 <p>Phone-based victim</p>	<ul style="list-style-type: none"> <input type="checkbox"/> SPEAR PUSHING <input type="checkbox"/> HOAX <input checked="" type="checkbox"/> VISHING <input type="checkbox"/> PHISHING <input type="checkbox"/> PHARMING
 <p>Attacker mass-mails product information to parties that have already opted out of receiving advertisements</p>	 <p>Broad set of recipients</p>	<ul style="list-style-type: none"> <input type="checkbox"/> SPEAR PUSHING <input type="checkbox"/> HOAX <input type="checkbox"/> VISHING <input checked="" type="checkbox"/> PHISHING <input type="checkbox"/> PHARMING
 <p>Attacker redirects name resolution entries from legitimate site to fraudulent site</p>	 <p> <input checked="" type="checkbox"/> Fraudulent site <input checked="" type="checkbox"/> Legitimate site Victims </p>	<ul style="list-style-type: none"> <input type="checkbox"/> SPEAR PUSHING <input type="checkbox"/> HOAX <input type="checkbox"/> VISHING <input type="checkbox"/> PHISHING <input checked="" type="checkbox"/> PHARMING

QUESTION 2

You are the security administrator. You need to determine the types of security. Drag the items "Types of Security" to appropriate Security devices.

Select and Place:



Types of Security

Task: Drag the items on the left to show the different types of security for the shown devices. Not all fields need to be filled. Not all items need to be used.



5. Cable lock

9. HVAC

11. Antivirus

Mobile Device Security	Server in Data Center Security
1. GPS Tracking	8. FM-200
3. Remote wipe	6. Biometrics
10. Device Encryption	7. Proximity Badges
4. Strong Passwords	2. Mantrap

QUESTION 3

For each of the given items, select the appropriate authentication category from the dropdown choices. Instructions: When you have completed the simulation, please select the Done button to submit.

Hot Area:



Authentication Category

Instructions: When you have completed the simulation, Please Select the Done Button to Submit

Select the appropriate authentication type for the following items:

Item	Response
Retina scan	<input type="text"/> Something you have Something you know Something you are All given authentication categories
Smart card	<input type="text"/> Something you have Something you know Something you are All given authentication categories
Hardware Token	<input type="text"/> Something you have Something you know Something you are All given authentication categories
Password	<input type="text"/> Something you have Something you know Something you are All given authentication categories
PIN number	<input type="text"/> Something you have Something you know Something you are All given authentication categories
Fingerprint scan	<input type="text"/> Something you have Something you know Something you are All given authentication categories



VCE & PDF

Pass4Lead.com

<https://www.pass4lead.com/JK0-018.html>

2022 Latest pass4lead JK0-018 PDF and VCE dumps Download

Correct Answer:



Authentication Category

Instructions: When you have completed the simulation, Please Select the Done Button to Submit

Select the appropriate authentication type for the following items:

Item	Response
Retina scan	<ul style="list-style-type: none">Something you haveSomething you knowSomething you areAll given authentication categories
Smart card	<ul style="list-style-type: none">Something you haveSomething you knowSomething you areAll given authentication categories
Hardware Token	<ul style="list-style-type: none">Something you haveSomething you knowSomething you areAll given authentication categories
Password	<ul style="list-style-type: none">Something you haveSomething you knowSomething you areAll given authentication categories
PIN number	<ul style="list-style-type: none">Something you haveSomething you knowSomething you areAll given authentication categories
Fingerprint scan	<ul style="list-style-type: none">Something you haveSomething you knowSomething you areAll given authentication categories



QUESTION 4

You are the security administrator. You need to determine the types of security. Drag the items “Types of Security” to appropriate Security devices.

Configure the Firewall

Task: Configure the firewall (fill out the table) to allow these four rules:

1. Only allow the Accounting computer to have HTTPS access to the Administrative server.
2. Only allow the HR computer to be able to communicate with the Server 2 System over SCP.
3. Allow the IT computer to have access to both the Administrative Server 1 and Administrative Server 2



Correct Answer: Use the following answer for this simulation task.

Explanation/Reference:



Source IP	Destination IP	Port number	TCP/UDP	Allow	Deny
10.4.255.10	10.4.255.101	443	TCP	Allow	
10.4.255.10	10.4.255.2	22	TCP	Allow	
10.4.255.10	10.4.255.101	Any	Any	Allow	
10.4.255.10	10.4.255.102	Any	Any	Allow	

www.Pass4Lead.com

Note: All servers in the bottom have the same IP address, so something is wrong with this question.

QUESTION 5

The security administrator has installed a new firewall which implements an implicit DENY policy by default Click on the firewall and configure it to allow ONLY the following communication.

1. The Accounting workstation can ONLY access the web server on the public network over the default HTTPS port. The accounting workstation should not access other networks.
2. The HR workstation should be restricted to communicate with the Financial server ONLY, over the default SCP port.
3. The Admin workstation should ONLY be able to access the servers on the secure network over the default TFTP port.


Instructions: The firewall will process the rules in a top-down manner in order as a first match The port number must be typed in and only one port number can be entered per rule Type ANY for all ports. The original firewall configuration can be reset at any time by pressing the reset button. Once you have met the simulation requirements, click save and then Done to submit.



Question
Show

Network Diagram

Instructions: The firewall will process the rules in a top-down manner in order as a first match. The port number must be typed in and only one port number can be entered per rule. Type ANY for all ports. The original firewall configuration can be reset at any time by pressing the reset button. Once you have met the simulation requirements, click save and then Done to submit.



Hot Area:



Firewall Rules					
Rule #	Source	Destination	Port (Only One Per Rule)	Protocol	Action
1	<input type="text"/> 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 10.10.9.12/32 10.10.9.14/32 10.10.9.18/32	<input type="text"/> Any 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 192.168.100.10/32 192.168.100.18/32	<input type="text"/> 443 22 69	<input type="text"/> ANY TCP UDP	<input type="text"/> Permit Deny
2	<input type="text"/> 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 10.10.9.12/32 10.10.9.14/32 10.10.9.18/32	<input type="text"/> Any 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 192.168.100.10/32 192.168.100.18/32	<input type="text"/> 443 22 69	<input type="text"/> ANY TCP UDP	<input type="text"/> Permit Deny
3	<input type="text"/> 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 10.10.9.12/32 10.10.9.14/32 10.10.9.18/32	<input type="text"/> Any 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 192.168.100.10/32 192.168.100.18/32	<input type="text"/> 443 22 69	<input type="text"/> ANY TCP UDP	<input type="text"/> Permit Deny
4	<input type="text"/> 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 10.10.9.12/32 10.10.9.14/32 10.10.9.18/32	<input type="text"/> Any 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 192.168.100.10/32 192.168.100.18/32	<input type="text"/> 443 22 69	<input type="text"/> ANY TCP UDP	<input type="text"/> Permit Deny

Correct Answer:



Firewall Rules					
Rule #	Source	Destination	Port (Only One Per Rule)	Protocol	Action
1	<ul style="list-style-type: none"> 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 10.10.9.12/32 10.10.9.14/32 10.10.9.18/32 	<ul style="list-style-type: none"> Any 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 192.168.100.10/32 192.168.100.18/32 	<ul style="list-style-type: none"> 443 22 69 	<ul style="list-style-type: none"> ANY TCP UDP 	<ul style="list-style-type: none"> Permit Deny
2	<ul style="list-style-type: none"> 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 10.10.9.12/32 10.10.9.14/32 10.10.9.18/32 	<ul style="list-style-type: none"> Any 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 192.168.100.10/32 192.168.100.18/32 	<ul style="list-style-type: none"> 443 22 69 	<ul style="list-style-type: none"> ANY TCP UDP 	<ul style="list-style-type: none"> Permit Deny
3	<ul style="list-style-type: none"> 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 10.10.9.12/32 10.10.9.14/32 10.10.9.18/32 	<ul style="list-style-type: none"> Any 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 192.168.100.10/32 192.168.100.18/32 	<ul style="list-style-type: none"> 443 22 69 	<ul style="list-style-type: none"> ANY TCP UDP 	<ul style="list-style-type: none"> Permit Deny
4	<ul style="list-style-type: none"> 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 10.10.9.12/32 10.10.9.14/32 10.10.9.18/32 	<ul style="list-style-type: none"> Any 192.168.10.2/32 192.168.10.3/32 192.168.10.4/32 192.168.10.5/32 192.168.100.10/32 192.168.100.18/32 	<ul style="list-style-type: none"> 443 22 69 	<ul style="list-style-type: none"> ANY TCP UDP 	<ul style="list-style-type: none"> Permit Deny



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)


We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4lead.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4lead, All Rights Reserved.