

JN0-102^{Q&As}

Juniper Networks Certified Internet Associate, Junos(JNCIA-Junos)

Pass Juniper JN0-102 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/jn0-102.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which statement is true about routing tables on a Junos device?

- A. They purge any routes not selected as active routes.
- B. They exist in two places: the Routing Engine and the Packet Forwarding Engine.
- C. They are exclusively designed to handle dynamic routing protocols.
- D. They populate the forwarding table.

Correct Answer: D

QUESTION 2

-- Exhibit -[edit interfaces]

```
user@router# show
```

```
...
```

```
lo0 {
```

```
  unit 0 {
```

```
    family inet {
```

```
      filter {
```

```
        input protect-loopback;
```

```
      }
```

```
    address 192.168.100.1/32;
```

```
  }
```

```
}
```

```
}
```

-- Exhibit -Given the configuration shown in the exhibit, what is the function of the protect-loopback filter?

- A. to protect the Routing Engine
- B. to protect all interfaces on the device
- C. to protect the Packet Forwarding Engine
- D. to protect the management interface

Correct Answer: A

QUESTION 3

When using the monitor traffic command on Junos devices, which UNIX-based utility is accessed?

- A. snoop
- B. tcpdump
- C. monitor
- D. tail

Correct Answer: B

QUESTION 4

-- Exhibit --{master:0}[edit interfaces]

```
user@switch# show
```

```
me0 {
```

```
  disable;
```

```
  unit 0 {
```

```
    family inet {
```

```
      address 10.1.1.10/24;
```

```
    }
```

```
  }
```

```
}
```

-- Exhibit --Administrators report that they are unable to access the management interface of the EX Series device shown in the exhibit.

Which command will resolve this problem?

- A. delete me0 disable
- B. activate me0
- C. set me0 unit 0 enable
- D. deactivate me0

Correct Answer: A

QUESTION 5

What are the usable hosts on the 192.168.1.24/29 network?

- A. .24 through .48
- B. .24 through .32
- C. .25 through .30
- D. .35 through .31

Correct Answer: C

[JN0-102 PDF Dumps](#)

[JN0-102 Practice Test](#)

[JN0-102 Exam Questions](#)