

JN0-321^{Q&As}

DX, Associate(JNCIA-DX)

Pass Juniper JN0-321 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/jn0-321.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

An enterprise has multiple servers hosting the same application. The Juniper DX VIP is listening on IP address 64.10.10.1, port 80. Which three target server labels are correct? (Choose three.)

- A. 64.10.10.1:80
- B. 64.10.10.51:80
- C. 64.10.10.60
- D. 10.10.1.50:80
- E. 64.10.10.52:81

Correct Answer: BDE

QUESTION 2

A RIPv1 Response message includes which of the following fields?

- A. gateway address
- B. next hop address
- C. neighbor address
- D. destination address

Correct Answer: D

QUESTION 3

What is the purpose of the RSPV hello interval?

- A. It is the size of the RSVP hello packet
- B. It is how long it maintains RSVP neighbors
- C. It is the length of time between RSPV hello packets
- D. It is how long the router waits before declaring a router to be down

Correct Answer: C

QUESTION 4

Which protocol type(s) can be secured with SSL in Juniper's DX Forwarder?

- A. SMTP, POP, and FTP only
- B. any UDP protocol using one port
- C. any TCP protocol using one port
- D. SMTP, POP, and HTTP only

Correct Answer: C

QUESTION 5

How is an RSVP resv message sent back to the ingress router?

- A. reverse path of the PRO
- B. least cost to the ingress router
- C. shortest path to the egress router
- D. reverse path of the path vector TLV

Correct Answer: A

[Latest JN0-321 Dumps](#)

[JN0-321 Study Guide](#)

[JN0-321 Braindumps](#)