

JN0-533^{Q&As}

FWV, Specialist (JNCIS-FWV)

Pass Juniper JN0-533 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass2lead.com/jn0-533.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Referring to the exhibit, both clustered devices are in a master state. What is the cause of this situation?

NSPROD1(M)-> get nsrp ha-link total_ha_port = 2 probe on ha-link is disabled unused channel: ethernet8 (ifnum: 11) maC. 0010db1d1e8b statE. down unused channel: ethernet7 (ifnum: 10) maC. 0010db1d1e8a statE. down ha control link not available ha data link not available ha secondary path link not available

- A. The cluster is not configured for NSRP.
- B. The cluster is in the process of failing over from the primary node to the secondary node.
- C. Probes on the HA links have been disabled, causing the HA links to go down.
- D. The control and the data link is down.

Correct Answer: D

QUESTION 2

Which two statements are true about redundant interfaces? (Choose two.)

- A. You can bind two physical interfaces together to create one redundant interface.
- B. Redundant interfaces bind to a security zone; one physical interface acts as the primary interface, and the other physical interface acts as the secondary interface.
- C. A redundant interface is the accumulation of two or more physical interfaces that share the same traffic load.
- D. A redundant interface is the management interface for bridge mode.

Correct Answer: AB

QUESTION 3

Which two statements are true about the default route configuration based on the output shown in the exhibit? (Choose two.)

- A. A default route is configured in the trust-vr with a next-hop IP address of 1.1.1.1.
- B. A default route is configured in the trust-vr with a next hop of ethernet3/1.



https://www.pass2lead.com/jn0-533.html

2024 Latest pass2lead JN0-533 PDF and VCE dumps Download

- C. A default route is configured in the trust-vr with a next hop of the untrust-vr.
- D. A default route is configured in the untrust-vr with a next-hop IP address of 1.1.1.1.

Correct Answer: CD

QUESTION 4

You manage a ScreenOS device. A user complains that the FTP download speed is slow. You suspect a cable or an interface might be the problem. Which command provides interface error information?

- A. show counter flow interface
- B. get counter flow interface
- C. get counter statistics interface
- D. show counter statistics interface

Correct Answer: C

QUESTION 5

FTP connections from host 10.20.1.10 to server 192.168.1.100 are not working. You produce the output shown in the exhibit. What is causing the traffic problem?

ssg20-> set address "Trust" "192.168.1.0/32" 10.20.1.0 255.255.255.0 ssg20-> set address "Untrust" "10.204.1.0/24" 10.204.1.0 255.255.255.0 ssg20-> set address "Untrust" "192.168.1.0/24" 192.168.1.0 255.255.255.255.255 ssg20-> get policy id 1 name: "none" (id 1), zone Trust -> Untrust, action Permit, status "enabled" src "192.168.1.0/32", dst "192.168.1.0/24", serv "FTP" Rules on this VPN policy: 0 nat off, Web filtering: disabled vpn unknown vpn, policy flag 00000000, session backup: on, idle reset: on traffic shaping off, scheduler n/a, serv flag 00 log no, log count 0, alert no, counter no(0) byte rate(sec/min) 0/0 total octets 0, counter(session/packet/ octet) 0/0/0 priority 7, diffserv marking Off tadapter: state off, gbw/mbw 0/0 policing (no) No Authentication No User, User Group or Group expression set

- A. The policy\\'s source address is incorrect.
- B. The policy\\'s destination address is incorrect.
- C. The policy\\'s service is incorrect.
- D. The policy does not have the FTP ALG enabled.

Correct Answer: B

JN0-533 VCE Dumps

JN0-533 Practice Test

JN0-533 Braindumps