

# LX0-101<sup>Q&As</sup>

CompTIA Linux+ [Powered by LPI] Exam 1

## Pass CompTIA LX0-101 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/lx0-101.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by CompTIA  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

An administrator has read/write permissions on an ordinary file foo. The administrator has just run `ln foo bar`. Which of the following would occur if the administrator ran `rm foo`?

- A. foo and bar would both be removed.
- B. foo would be removed while bar would remain accessible.
- C. foo would be removed. bar would still exist but would be unusable.
- D. Both foo and bar would remain accessible.
- E. The administrator would be asked whether bar should be removed.

Correct Answer: B

---

### QUESTION 2

Which of the following `chown` commands will change the ownership to foo and the group to bar on a file named biglist?

- A. `chown foo/bar biglist`
- B. `chown -u foo -g bar biglist`
- C. `chown foo:bar biglist`
- D. `chown --user foo --group bar biglist`

Correct Answer: C

---

### QUESTION 3

Which of the following is the proper device for the third partition, on the second hard disk, on the first IDE controller, on a PC system?

- A. `/dev/hdb3`
- B. `/dev/hd1b3`
- C. `/dev/hdc1b3`
- D. `/dev/hdc1d2p3`

Correct Answer: A

---

### QUESTION 4

An administrator wants to preview where the package file, `apache-xml.i386.rpm`, will install its files before installing it.

Which of the following commands should the administrator issue?

- A. rpm -qp apache-xml.i386.rpm
- B. rpm -qv apache-xml.i386.rpm
- C. rpm -ql apache-xml.i386.rpm
- D. rpm -qpl apache-xml.i386.rpm

Correct Answer: D

---

#### QUESTION 5

Which of the following configuration files should be modified to disable the ctrl-alt-delete key

- A. /etc/keys
- B. /proc/keys
- C. /etc/inittab
- D. /proc/inittab
- E. /etc/reboot

Correct Answer: C

[LX0-101 PDF Dumps](#)

[LX0-101 Exam Questions](#)

[LX0-101 Braindumps](#)