

M70-301^{Q&As}

Magento Front End Developer Certification Exam

Pass Magento M70-301 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/m70-301.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Magento
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

The name of a design package in the Design tab of the System->Configuration window in Admin is also used as _____ and _____. (Choose TWO.)

- A. a folder name in app/design/frontend
- B. a configuration value taken from index.php
- C. a folder name in skin/frontend
- D. a setting in the menu System -> Design
- E. a folder name in app/design/frontend/base

Correct Answer: AC

QUESTION 2

A block named newsletter is already defined in the layout XML, as in the example shown below. The page on which the block is visible has a three-column layout. How can you move the block from the left column to the right column?

EXAMPLE:

```
<default>
  <reference name="left">
    <block type="newsletter/subscribe" name="newsletter"
      template="newsletter/subscribe.phtml"/>
  </reference>
</default>
```

- A.

```
<default>
  <reference name="left">
    <remove name="left.newsletter" />
  </reference>
  <reference name="right">
    <action method="insert">
      <block>newsletter</block>
    </action>
  </reference>
</default>
```
- B.

```
<default>
  <reference name="left">
    <action method="unsetChild"><name>newsletter</name></action>
  </reference>
  <reference name="right">
    <action method="insert">
      <block>newsletter</block>
    </action>
  </reference>
</default>
```
- C.

```
<default>
  <reference name="right">
    <action method="insert">
      <block>newsletter</block>
    </action>
  </reference>
</default>
```
- D.

```
<default>
  <reference name="left">
    <action method="unsetChild"><name>newsletter</name></action>
  </reference>
</default>
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: B

QUESTION 3

Which of the following will render the custom content block custom, name to a page based on the native 3columns.phtml template?

- A.

```
<reference name="root">
  <block type="core/text_list" name="left" as="left" translate="label">
    <block type="core/template" name="custom.name"
      template="page/html/custom.phtml" />
  </block>
</reference>
```
- B.

```
<reference name="root">
  <block type="checkout/onepage" name="checkout.onepage"
    template="checkout/onepage.phtml">
    <block type="core/template" name="custom.name"
      template="page/html/custom.phtml" />
  </block>
</reference>
```
- C.

```
<reference name="catalog.topnav">
  <block type="core/template" name="custom.name"
    template="page/html/custom.phtml" />
</reference>
```
- D.

```
<reference name="checkout.cart">
  <block type="core/template" name="custom.name"
    template="page/html/custom.phtml" />
</reference>
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: A

QUESTION 4

Given a configured package "mypackage" and a configured theme "mytheme", which THREE of the following templates would be part of the design fallback? (Choose THREE.)

- A. mypackage/default/template/my/template.phtml
- B. base/mytheme/template/my/template.phtml
- C. default/default/template/my/template.phtml
- D. base/default/template/my/template.phtml
- E. default/mytheme/template/my/template.phtml
- F. mypackage/mytheme/template/my/template.phtml

Correct Answer: ADF

QUESTION 5

You want to create a new "screendesign" package based on the "default" package's "default" theme.

Which ONE of the following steps do you have to take?

- A. Copy app/design/base to app/design/screendesign
- B. Create an empty folder app/design/frontend/screendesign and copy app/design/frontend/default/default into it
- C. Create skin/frontend/screendesign, then copy the CSS and images folders and their files from /skin/frontend/default/default/ to skin/frontend/screendesign/default
- D. Inside app/design/frontend and skin/frontend, copy the folder "default" to the folder "custom"; then rename custom/default to custom/screendesign in both places
- E. Create app/design/frontend/default/screendesign

Correct Answer: C

[M70-301 VCE Dumps](#)

[M70-301 Study Guide](#)

[M70-301 Braindumps](#)