

N10-005^{Q&As}

CompTIA Network+ Certification Exam

Pass CompTIA N10-005 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/n10-005.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CompTIA
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Several users from the finance department report that they are able to access the Internet, but unable to connect to their financial applications. The network technician is unable to ping the finance server. The technician decides to check the switch and determines that Internet access is working.

Which of the following is a possible cause of the access issues?

- A. Faulty cable
- B. Remote management disabled
- C. Improper VLAN assignment
- D. Mismatched duplex

Correct Answer: C

Explanation: Finance Server is placed in same VLAN which is assigned to finance users if they are able to access internet that means connectivity to switch is

good, so we have to check the VLAN assigned to users.

QUESTION 2

Linking two or more switches together so that they can share VLAN information is known as which of the following?

- A. Port replicating
- B. Filtering
- C. Trunking
- D. Spoofing

Correct Answer: C

QUESTION 3

Which of the following must a technician enable on a switch in order to be able to view all of the packets traversing a switch using a packet sniffer?

- A. STP
- B. Port Mirroring
- C. VLANs

D. PoE

Correct Answer: B

QUESTION 4

A user needs maximum distance in a wireless connection. Which of the following should be configured to meet this goal?

- A. 802.11a at 54Mbps
- B. 802.11b at 1Mbps
- C. 802.11g at 11Mbps
- D. 802.11n at 130Mbps

Correct Answer: B

QUESTION 5

The Network Interface Layer of the TCP/IP model corresponds to which of the following layers of the OSI model? (Select TWO).

- A. Network
- B. Session
- C. Transport
- D. Physical
- E. Data link

Correct Answer: DE

The network layer is responsible for packet forwarding including routing through intermediate routers, whereas the data link layer is responsible for media access control, flow control and error checking.

[Latest N10-005 Dumps](#)

[N10-005 VCE Dumps](#)

[N10-005 Exam Questions](#)