

NS0-155^{Q&As}

NetApp Certified 7-Mode Data Administrator

Pass NetApp NS0-155 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/ns0-155.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which command on the storage system allows you to display statistics on the performance of system resource such as CPU, NVRAM, network interfaces, and disks?

- A. netstat
- B. netdiag
- C. pktt
- D. sysstat

Correct Answer: D

https://library.netapp.com/ecmdocs/ECMP1196979/html/man1/na_sysstat.1.html sysstat reports aggregated filer performance statistics such as the current CPU utilization, the amount of network I/O, the amount of disk I/O, and the amount of tape I/O.

QUESTION 2

Identify the two commands that could be entered on the SnapMirror destination storage system. (Choose two.)

- A. snapmirror resync
- B. snapmirror release
- C. snapmirror initialize
- D. options snapmirror.access on

Correct Answer: AC

QUESTION 3

The root admin on the UNIX box receives an "Access Denied" message when he attempts to access a newly mounted qtree. What's the most likely cause of this error?

- A. The qtree is missing from the /etc/hosts file.
- B. NFS is turned off on the storage system.
- C. The qtree is set to ntfs security style.
- D. The qtree has not been exported.

Correct Answer: C

<http://hd.kvsconsulting.us/netappdoc/801docs/html/ontap/smg/GUID-866DD79D-D2A6-4FBA-B0BDA63560FECEFF.html> <https://library.netapp.com/ecmdocs/ECMP1196891/html/GUID-F6304830-B124-40A5-95D6-C646AA85E9E0.html> Only hostnames and IPs are referenced in /etc/hosts, so A is incorrect. The question states that

the qtree was mounted, and B and D would preclude this so they are incorrect. You need to set a qtree to mixed or unix security style to support

UNIX users.

QUESTION 4

There are three phases of Non Disruptive Volume Movement (NDVM). What is the correct sequence of these phases?

- A. Setup Phase, Mirror Phase, Cutover Phase
- B. Initialization phase, Copy Phase, Migrate Phase
- C. Begin Phase, Move Phase, Complete Phase
- D. Setup Phase, Data Copy Phase, Cutover Phase

Correct Answer: D

https://communities.netapp.com/servlet/JiveServlet/previewBody/9734-102-1-17848/PDF_Tips_Data_Motion_0211.pdf

Non-disruptive Volume Movement is called DataMotion. DataMotion uses SnapMirror for volume migration. A DataMotion migration occurs in three phases:

1.
Setup
 2.
Data copy
 3.
Cutover
-

QUESTION 5

You receive an error message from an iSCSI host stating that there is an authentication error. Which command would troubleshoot the failure?

- A. `iscsi security show`
- B. `iscsi security generate`
- C. `iscsi show authentication`
- D. `iscsi security authentication`

Correct Answer: A

https://library.netapp.com/ecmdocs/ECMP1196890/html/man1/na_iscsi.1.html

iscsi security show Display the default authentication and all the initiator specific authentication information. Hint: Remember that the iscsi command is mostly structured "iscsi noun verb", unlike the fcp command which is structure "fcp verb noun". Example: iscsi initiator show, fcp show initiator.

[NS0-155 Practice Test](#)

[NS0-155 Study Guide](#)

[NS0-155 Braindumps](#)