

# NS0-163<sup>Q&As</sup>

Network Appliance Data Protection Solutions

## Pass NetApp NS0-163 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/ns0-163.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

If an error message indicates that the cluster interconnect adapter itself is faulty, what is your corrective action?

- A. Check the cabling of the Channel A disk shelf loop and reseal and tighten any loose cables.
- B. Check the cabling of the Channel B disk shelf loop and reseal and tighten any loose cables.
- C. Re-cable the cluster interconnect adapter or replace the adapter if needed.
- D. Check for network activity.

Correct Answer: C

---

**QUESTION 2**

Which one of the following commands would you use to rejoin the "mil" volume with the "mir(l)" volume?

- A. vol mirror mir -v mir
- B. volmirror mir -c mir(l)
- C. vol mirror mil -v mir(l)
- D. vol minor mil -n mir(l)

Correct Answer: C

---

**QUESTION 3**

Which command displays the disk ownership for both CPU modules in a FAS270C appliance?

- A. disk show-v
- B. disk display-r
- C. disk own -s
- D. vol status -r

Correct Answer: A

---

**QUESTION 4**

Which command displays the disk ownership for both CPU modules in a FAS270C appliance?

- A. disk show-v
- B. disk display-r

C. disk own -s

D. vol status -r

Correct Answer: A

---

**QUESTION 5**

Which are three valid data protection solutions? (Choose three.)

A. SnapVault to Volume SnapMirror

B. SnapVault to Volume SnapMirror to SnapVault

C. SnapVault to Volume SnapMirror to Volume SnapMirror

D. VolumeSnapMirror to SnapVault

Correct Answer: ACD

[Latest NS0-163 Dumps](#)

[NS0-163 PDF Dumps](#)

[NS0-163 VCE Dumps](#)